

HYMENOPTERA.

Orasema minutissima Howard.

Mina Carlota, Trinidad Mts.

Several pupæ and adults were found in a hollow twig, with a colony of *Wasmannia auropunctata* Roger.

Acanthopria crassicornis Ashm.

Santiago de Cuba.

A single specimen taken in a nest of *Cyphomyrmez rimosus* Spin. var. *minutus*, Mayr. agrees closely with the type from Grenada.

DISTRIBUTIONAL NOTES ON NEW ENGLAND
ODONATA.

PART II.¹

BY R. HEBER HOWE, JR.,
Thoreau Museum, Concord, Massachusetts.

The following additional records for Vermont are based on another small collection sent me by Mr. D. Lewis Dutton from Brandon. The specimens were captured in July, 1916.

Lestes unguiculatus Hagen; new to Vermont.

Lestes uncatus Kirby; new to Vermont.

Argia violacea (Hagen); new to Vermont.

Nehalennia irene (Hagen); new to Vermont.

Amphiagrion saucium (Burm.); new to Vermont.

Enallagma hageni (Walsh); new to Vermont.

Æshna verticalis (Hagen); new to Vermont.

Libellula pulchella Drury; new to Vermont.

The following record is new to Concord, Mass., bringing the known species from this township to sixty-eight.

Argia mæsta Hagen. Female taken August 15, 1916, and previously overlooked.

¹The figures in the chart of the Zygoptera published with this paper originally appeared in the author's manual of Odonata of New England, Parts I-II (Memoir of the Thoreau Museum of Natural History, II; 1-23, 1917. They are republished dichotomously here, because of numerous requests that they be available in the present form, and where they will reach more students of Odonata through the larger circulation of *Psyche*.

P109-106

HN
1918