

AI and Consciousness

Eric Schwitzgebel
Department of Philosophy
University of California, Riverside
Riverside, CA 92521-0201
USA

October 9, 2025

for Cambridge Elements series

DRAFT
comments welcome

AI and Consciousness

Contents

Chapter One: Hills and Fog	4
Chapter Two: What Is Consciousness? What Is AI?	9
Chapter Three: Ten Possibly Essential Features of Consciousness.....	15
Chapter Four: Against Introspective and Conceptual Arguments for Essential Features	20
Chapter Five: Materialism and Functionalism.....	33
Chapter Six: The Turing Test and the Chinese Room	40
Chapter Seven: The Mimicry Argument Against AI Consciousness	49
Chapter Eight: Global Workspace Theories and Higher Order Theories	57
Chapter Nine: Integrated Information, Local Recurrence, Associative Learning, and Iterative Natural Kinds	73
Chapter Ten: Does Biological Substrate Matter?	85
Chapter Eleven: The Problem of Strange Intelligence	91
Chapter Twelve: The Leapfrog Hypothesis and the Social Semi-Solution	96
Acknowledgements.....	102
References.....	103

Chapter One: Hills and Fog

1. Experts Do Not Know and You Do Not Know and Society Collectively Does Not and Will Not Know and All Is Fog.

Our most advanced AI systems might soon – within the next five to thirty years – be as richly and meaningfully conscious as ordinary humans, or even more so, capable of genuine feeling, real self-knowledge, and a wide range of sensory, emotional, and cognitive experiences. At a broad, functional level, AI architectures are beginning to resemble the architectures many consciousness scientists associate with conscious systems. And their outward behavior, especially their linguistic behavior, grows ever more humanlike.

Alternatively, claims of imminent AI consciousness might be profoundly mistaken. Their seeming humanlikeness might be a shadow play of empty mimicry. Genuine conscious experience might require something no AI system could possess for the foreseeable future – intricate biological processes, for example, that silicon chips could never replicate.

The thesis of this book is that we don't know. Moreover and more importantly, we *won't* know before we've already manufactured thousands or millions of disputably conscious AI systems. Engineering sprints ahead while consciousness science lags. Consciousness scientists – and philosophers, and policy-makers, and the public – are watching AI development disappear over the hill ahead. Soon we will hear a voice shout back to us, “Now I am just as conscious, just as full of experience and feeling, as any human”, and we won't know whether to believe it. We will need to decide, as individuals and as a society, whether to treat AI systems as conscious, nonconscious, semi-conscious, or incomprehensibly alien, before we have adequate scientific grounds to justify that decision.

The stakes are immense. If near-future AI systems are richly, meaningfully conscious, then they will be our peers, our lovers, our children, our heirs, and possibly the first generation of a posthuman, transhuman, or superhuman future. They will deserve rights, including the right to shape their own development, free from our control and perhaps against our interests. If, instead, future AI systems merely mimic the outward signs of consciousness while remaining as experientially blank as toasters, we face the possibility of mass delusion on an enormous scale. Real human interests and real human lives might be sacrificed for the sake of entities without interests worth the sacrifice. Sham AI “lovers” and “children” might supplant or be prioritized over human lovers and children. Heeding their advice, society might turn a very different direction than it otherwise would.

In this book, I aim to convince you that the experts do not know, and you do not know, and society collectively does not and will not know, and all is fog.

2. *Against Obviousness.*

Some people think that near-term AI consciousness is obviously impossible. This is an error *in adverbio*. Near-term AI consciousness might be impossible – but not *obviously* so.

A sociological argument against obviousness:

Probably the leading scientific theory of consciousness is Global Workspace theory. Probably its leading advocate is neuroscientist Stanislas Dehaene.¹ In 2017, years before the surge of interest in ChatGPT and other Large Language Models, Dehaene and two collaborators

¹ Dehaene 2014; Mashour et al. 2020.

published an article arguing that with a few straightforward tweaks, self-driving cars could be conscious.²

Probably the two best-known competitors to Global Workspace theory are Higher Order theory and Integrated Information Theory.³ (In Chapters Eight and Nine, I'll provide more detail on these theories.) Perhaps the leading scientific defender of Higher Order theory is Hakwan Lau – one of the coauthors of that 2017 article about potentially conscious cars.⁴ Integrated Information Theory is potentially even more liberal about machine consciousness, holding that some current AI systems are *already* at least a little bit conscious and that we could straightforwardly design AI systems with arbitrarily high degrees of consciousness.⁵

Christof Koch, perhaps the most influential neuroscientist of consciousness from the 1990s to the early 2010s, has endorsed Integrated Information Theory.⁶ David Chalmers, perhaps the world's most influential philosopher of mind, argued in 2023 that AI consciousness was about 25% likely within a decade.⁷ That same year, a team of prominent philosophers, psychologists, and AI researchers – including eminent computer scientist Yoshua Bengio – concluded that there are “no obvious technological barriers” to creating conscious AI according to a wide range of mainstream scientific views about consciousness.⁸ In a 2025 interview,

² Dehaene, Lau, and Kouider 2017. For an alternative interpretation of this article as concerning something other than consciousness in its standard “phenomenal” sense, see note 104.

³ Some Higher Order theories: Rosenthal 2005; Lau 2022; Brown 2025. Integrated Information Theory: Albantakis et al. 2023.

⁴ But see Chapter Eight for some qualifications.

⁵ See Tononi's publicly available response to Scott Aaronson's objections in Aaronson 2014.

⁶ Tononi and Koch 2015.

⁷ Chalmers 2023.

⁸ Butlin et al. 2023. (I am among the nineteen authors.)

Geoffrey Hinton, another of the world's most prominent computer scientists, asserted that AI systems are already conscious.⁹

This is a sociological argument: a substantial probability of near-term AI consciousness is a mainstream view among leading experts. They might be wrong, but it's implausible that they're *obviously* wrong – that there's a simple argument or consideration they're neglecting which, if pointed out, would or should cause them to collectively slap their foreheads and say, “Of course! How did we miss that?”

What of the converse claim – that AI consciousness is *obviously* imminent or already here? In my experience, fewer people assert this. But in case you're tempted this direction, I'll mention some prominent theorists who hold that AI consciousness is a far-distant prospect if it's possible at all: neuroscientist Anil Seth; philosophers Peter Godfrey-Smith, Ned Block, and John Searle; linguist Emily Bender; and computer scientist Melanie Mitchell.¹⁰ In a 2024 survey of 582 AI researchers, 25% expected AI consciousness within ten years and 60% expected AI consciousness by the year 2100.¹¹

If the optimists are right, we're on the brink of creating genuinely conscious machines. If the skeptics are right, those machines will only *seem* conscious. The future well-being of many people (including, perhaps, many AI people) depends on getting it right. My view is that we will not know in time.

The remainder of this book is flesh on this skeleton. I canvass a variety of structural and functional claims about consciousness, the leading theories of consciousness as applied to AI,

⁹ Heren 2025.

¹⁰ Seth forthcoming; Godfrey-Smith 2024; Block forthcoming; Searle 1980, 1992; Bender 2025; Mitchell 2021.

¹¹ Dreksler et al. 2025.

and the best known general arguments for and against near-term AI consciousness. None of these claims or arguments takes us far. It's a morass of uncertainty.

Chapter Two: What Is Consciousness? What Is AI?

I'm concerned that you have too vague and inchoate a concept of *consciousness* and too precise and rigid a concept of *AI*. This chapter aims to repair those deficiencies.

1. Consciousness Defined.

Consider your visual experience as you look at this page. Pinch the back of your hand and notice the sting of pain. Contemplate being asked to escort a peacock across the country and notice the thoughts and images that arise. Silently hum a tune. Recall a vivid recent experience of anger, fear, or sadness. Recall what it feels like to be thirsty, sleepy, or dizzy.

These examples share an obvious property. They are all, of course, mental. But more than that, their mentality is of a certain type. Other mental states or processes lack this property: the low-level visual processes that extract an object's shape from the structure of light striking your retina, your unaccessed knowledge five minutes ago that pomegranates are red, and subtle processes guiding your shifts in posture and facial expression when meeting a friendly stranger.

This distinctive property is *consciousness*. Sometimes this property is called *phenomenal consciousness*, but "phenomenal" is optional jargon to disambiguate the primary sense of consciousness from secondary senses with which it might be confused (such as being awake or having knowledge or self-knowledge). Other terms for this property are: qualia, subjective experience, conscious experience, sentience, awareness, and what-it's-like-ness. What-it's-like-ness recalls Thomas Nagel's influential 1974 essay "What Is It Like to Be a Bat?" Presumably (but disputably!), there is something it's like to be a bat, while there's nothing it's like to be a chunk of granite. To be conscious is for there to be something it's like to be you right now. To be conscious is to have experiences.

This definition of consciousness, by example and evocative phrase, might seem unscientific. There's no consensus operational definition of consciousness in terms of specific measures that definitively indicate its presence or absence. There's no consensus analytic definition in terms of component concepts into which it divides. There's no consensus functional definition in terms of its causes and effects. However, scientific terms needn't require such precise definitions if the target is clear. Shared paradigmatic examples can be sufficient. The scientific challenge lies not in defining consciousness but in developing robust methods to study it.¹²

2. *Artificial Intelligence Defined.*

As I will use the term, a system is an AI – an artificial intelligence – if it is both *artificial* and *intelligent*. However, the boundaries of both artificiality and intelligence are fuzzy in a manner that bears directly on the thesis of this book.

Despite the apparent attractiveness of this simple analytic definition, standard definitions of AI are more complex. In their influential textbook *Artificial Intelligence*, Stuart Russell and Peter Norvig characterize artificial intelligence as “The study of agents that receive prompts from the environment and perform actions”.¹³ John McCarthy, a founding figure in AI, defines it as “The science and engineering of making intelligent machines, especially intelligent computer programs”.¹⁴ Philosopher John Haugeland, in his influential 1985 book *Artificial Intelligence*:

¹² For a fuller treatment of this issue, see Schwitzgebel 2016, 2024 ch. 8.

¹³ Russell and Norvig 2003/2021, p. vii.

¹⁴ McCarthy 2007, p. 2.

The Very Idea, defines it as “the exciting new effort to make computers think... *machines with minds*, in the full and literal sense.¹⁵

Defining AI as intelligent *machines* risks being too broad. In one standard sense, the human body is also a machine. “Machine” is either overly inclusive or poorly defined.

Treating only intelligent *computers* as AI risks either excessive breadth or excessive narrowness. If “computer” refers to any system that can behave according to the patterns Alan Turing described in his standard definition of digital computation, then humans are computers, since they too sometimes follow such patterns. (Indeed, originally the word “computer” referred to a person who performs arithmetic tasks.) Cognitive scientists sometimes describe the human brain as literally a type of computer. This is contentious but not obviously wrong on liberal definitions of what constitutes a computer.¹⁶

However, restricting the term “computer” to familiar types of digital programmable devices risks excluding some systems worth calling AI. For example, non-digital analog computers are sometimes conceived and built.¹⁷ Many artificial systems are non-programmable, and it’s not inconceivable that some of these could be intelligent. If humans are intelligent non-computers, then presumably in principle some biologically inspired but artificially constructed systems could also be intelligent non-computers.

Russell and Norvig’s definition avoids both “machine” and “computer”, but at the cost of making AI a practice – the “*study of agents*” – and without making explicit the artificial nature of the target – the “*study of agents*”. They characterize an agent as “anything that can be viewed as

¹⁵ Haugeland 1985, p. 2

¹⁶ Maley 2022; Anderson and Piccinini 2024; Rescorla 2015/2025.

¹⁷ MacLennan 2007; Kalinin et al. 2025. Piccinini and Bahar 2013 argue that the human brain engages in a *sui generis* type of computation, neither analog nor digital.

perceiving its environment through sensors and acting upon that environment through actuators.”¹⁸ Arguably, this includes all animals. Presumably, they mean *machine* agents, *computer* agents, or *artificial* agents. I recommend “artificial”, despite potential vagueness around the boundaries of artificiality.

“Intelligence” is also fraught. Defined too liberally, even a flywheel qualifies, since it responds to its environment by storing and delivering energy as needed to smooth out variations in angular velocity. Defined too narrowly, the classic computer programs of the 1960s to 1980s – central examples of “AI” as the term is standardly used – won’t count as intelligent, due to the simplicity and rigidity of the if-then rules governing them.

Can we fall back on definition by example, as we did with consciousness? Consider:

- classic 20th-century “good-old-fashioned-AI” systems like SHRDLU, ELIZA, and CYC;¹⁹
- early connectionist and neural net systems like Rosenblatt’s Perceptron and Rumelhart’s backpropagation networks;²⁰
- famous game-playing machines like DeepBlue and AlphaGo;
- transformer-based architectures like ChatGPT, Grok, Claude, Gemini, Dall-E, and Midjourney;
- Boston Dynamics robots and autonomous delivery robots;
- quantum computers;²¹

¹⁸ Russell and Norvig 2003/2021, p. 36.

¹⁹ SHRDLU: Winograd 1972; ELIZA: Weizenbaum 1966; CYC: Lenat 1995.

²⁰ Rosenblatt 1958; Rumelhart, Hinton, and Williams 1986.

²¹ Preskill 2018.

- neuromorphic computers.²²

Looking forward, we might imagine partly analog computational systems or more sophisticated quantum or partly quantum or neuromorphic computational systems. We might imagine systems that operate by interaction patterns among beams of light, or by the generation and transport of electron spin, or by “organic computing” in DNA.²³ We might imagine biological or partly-biological systems (not “computers” unless everything is a computer), including animal-cell based “Xenobots” and “Anthrobots” and systems containing neural tissue.²⁴ Cyborg systems might combine artificial and natural parts – an insect with an integrated computer chip or bioengineered programmable tissues or neural prostheses. We might imagine systems that look less and less like they are programmed and more and more like they are grown, evolved, selected, and trained. It might become unclear whether a system is best regarded as “artificial”.

As a community, we lack a good sense of what “AI” means. We can classify currently existing systems as either AI or not-AI based on similarity to canonical examples and some mushy general principles, but we have a poor grasp of how to classify future possibilities. We have, I suggest, a blurrier understanding of *AI* than *consciousness*.

The simple definition is, I think, the best we can do. Something is an Artificial Intelligence if and only if it is both artificial and intelligent, on some vague-boundaried, moderate-strength understanding of both “artificial” and “intelligent” that encompasses the canonical examples while excluding entities that we ordinarily regard as either non-artificial or non-intelligent.

²² Schuman et al. 2017; Kudithipudi et al. 2025.

²³ Žutić, Fabian, and Sarma 2004; Huang, Shasti, and Pruncal 2024; Kalinin et al. 2025; Lemaire et al. 2025.

²⁴ Gumuskya et al. 2023; Webster-Wood et al. 2023.

This matters because sweeping claims about the limitations of AI almost always rest on assumptions about the nature of AI – for example, that it must be digital or computer-based. Future AI might escape those limitations. Notably, two of the most prominent deniers of AI consciousness – John Searle and Roger Penrose – explicitly confine their doubts to standard 20th century architectures, leaving open the possibility of conscious AI built along other lines.²⁵ No well-known argument aims to establish the in-principle impossibility of consciousness in all future AI under a broad definition. Of course, the greater the difference from currently familiar architectures, the farther in the future that architecture is likely to lie.

²⁵ See Searle 1980's "Many Mansions" reply and Penrose 1999, p. 416.

Chapter Three: Ten Possibly Essential Features of Consciousness

1. Possible Essentiality.

Let's call a property of consciousness *essential* if it is necessarily²⁶ present whenever consciousness is present. Some essential properties seem obvious. Conscious experiences must be mental. This is, very plausibly, just inherent in the concept. Conscious experiences, also, are necessarily events. They happen at particular times. This also appears to be inherent in the concept. A philosopher who denies either claim should expect an uphill climb against a rainstorm of objections.²⁷

Other properties of consciousness are *possibly* essential in the sense that a reasonable theorist might easily come to regard them as essential or at least as candidates for essentiality. There are no obviously decisive objections against their essentiality. But neither are the properties as straightforwardly essential as mentality and eventhood. This chapter will describe ten such properties.

In later chapters I will argue that reasonable doubts about the essentiality of these properties fuel reasonable doubt about theories proposing necessary conditions for AI consciousness. Bear in mind that if any of the following ten properties really is an essential

²⁶ The modal strength of this claim is natural or nomological necessity (i.e., according to the laws of nature), not logical, conceptual, or metaphysical necessity. Arguably, the laws of nature could have been different, while a claim like “all bachelors are unmarried” is necessary in a stronger sense. The modal strength of “possibly” in “possibly essential” is epistemic. On varieties of necessity, see Fine 2002; Kment 2012/2021.

²⁷ One might start by denying the reality (McTaggart 1908) or fundamentality (Kant 1781/1787/1998; Rovelli 2018) of time.

feature of consciousness, it must necessarily be present in *all* possible instances of consciousness in *all* possible conscious systems, whether human, animal, alien, or AI.²⁸

2. *Ten Possibly Essential Features of Consciousness.*

(1.) *Luminosity.* Conscious experiences are inherently self-representational.

Alternatively, having an experience entails being in some sense aware of that experience.

Alternatively, having an experience entails knowing about that experience or at least being in a position to know about it. Note: These are related rather than equivalent formulations of a luminosity principle.²⁹

(2.) *Subjectivity.* Having a conscious experience entails having a sense of yourself as a subject of experience. Alternatively, experiences always contain a “for-me-ness”, or they entail the perspective of an experiencer. Again, these are not equivalent formulations.³⁰

(3.) *Unity.* If at any moment an experiencing subject has more than one experience (or experience-part or experience-aspect), those experiences (or parts or aspects) are always subsumed within some larger experience containing all of them or joined together in a single stream so that the subject experiences not just A and B and C separately but A-with-B-with-C.³¹

(4.) *Access.* To be conscious, an experience must be available for “downstream” cognitive processes like inference and planning, verbal report, and memory. No conscious

²⁸ For a related list, see Ginsburg and Jablonka 2019, p. 98-101.

²⁹ E.g., Rosenthal 2005; Kriegel 2009; Boyle 2024.

³⁰ E.g., Zahavi and Kriegel 2016; Boyle 2024.

³¹ E.g., Barbieri 2025. Other prominent treatments of unity may allow the in principle possibility of disunified cases: Bayne 2010; Dainton 2017.

experience can simply occur in a cognitive dead end, with no possible further cognitive consequences.³²

(5.) *Intentionality*. All consciousness is “intentional” in the sense of being *about* or *directed at* something. For example, if you form an image of your house, that image concerns your house and no one else’s no matter how visually similar. If you’re angry about the behavior of Awful Politician X, that anger is directed specifically at that politician’s behavior. Your thoughts about squares are about squares. Even a diffuse mood is always directed as some target or range of targets.³³

(6.) *Flexible integration*. All conscious experiences, no matter how fleeting, can potentially interact in flexible ways with other thoughts, experiences, or aspects of your cognition. They cannot occur merely as parts of a simple reflex from stimulus to response and then expire without the possibility of further integration. Even if they are not actually integrated, they *could* be.³⁴

(7.) *Determinacy*. Every conscious experience is determinately conscious – not in the sense that it must have a perfectly determinate content, but in the sense that it is determinately the case that it is either experienced or not experienced. There is no such thing as intermediate or kind-of or borderline consciousness. Consciousness is sharp-edged, unlike graded properties with borderline cases, such as baldness, greenness, and extraversion. At any moment, either experience is determinately present, however dimly, or it is entirely absent.³⁵

³² E.g., Dennett 2005; Dehaene 2014.

³³ E.g., Brentano 1874/1973; Tye 1995.

³⁴ E.g., Edelman 1989; Metzinger 2003.

³⁵ E.g., Goff 2013; Simon 2017.

(8.) *Wonderfulness*. Consciousness is wonderful, mysterious, or “meta-problematic” – there’s no standard term for this – in the following technical sense: It appears (perhaps mistakenly) to be irreducible to anything physical or functional. Conceivably (but perhaps in violation of the laws of nature), it could exist in a ghost or in an entity without a body. We cannot help but think of it in immaterial terms. Again, these formulations are not all equivalent.³⁶

(9.) *Specious presence*. All conscious experiences are felt to be temporally extended, smeared across a small interval of time (a fraction of a second to a few seconds) – generally called the “specious present” – rather than being strictly instantaneous or wholly atemporal.³⁷

(10.) *Privacy*. A subject’s experiences are directly knowable only to that subject, through some introspective process that others could never in principle share, regardless how telepathic or closely connected those others might be.³⁸

3. *An Argument Against Near-Future Knowledge of AI Consciousness.*

If any of these features is genuinely essential to consciousness, that constrains the range of AI systems that could be conscious. For example, if luminosity is essential, no AI system could be conscious without self-representation. If unity is essential, disunified systems are out. If access is essential, conscious processes must be available for subsequent cognition. And so on. The problem is: We do not know which if any of these features is actually essential.

³⁶ E.g., Chalmers 2018; Graziano et al. 2019.

³⁷ E.g., Metzinger 2003; and famously James 1890/1981, though James might not commit to specious presence being essential to all experience.

³⁸ E.g., Broad 1951; Gertler 2000. This privacy thesis differs from a metaphysical privacy thesis (related to unity) holding that people cannot share exactly the same individual “token” experience.

Consider the following argument:

- (1.) We cannot know through introspection or conceptual analysis which among these ten possibly essential features of consciousness is actually essential.
- (2.) We cannot, in the near-term future, know through scientific theorizing which among these ten features is actually essential.
- (3.) If we cannot know through introspection, conceptual analysis, or scientific theorizing which among these ten features is essential, we will remain in the dark about the consciousness of near-future AI.

One aim of this book – not the only aim – is to articulate and defend that argument. We lack basic knowledge about the structure and function of consciousness. Consequently, we cannot reliably assess its presence or absence in sophisticated AI systems we might plausibly build in the near future.

An obvious challenge to Premise 3 is that there might be broad, principled reasons for denying or attributing consciousness to advanced AI systems – arguments that don't depend on specific essential properties. For example, consciousness might require being alive, or it might require neuronal processes in an animal brain, in a way no AI system could manifest. Or it might require having immaterial properties. Alternatively, passing a behavioral test such as the "Turing test" might justify attributing consciousness, even amid uncertainty about structural and functional properties. We will not, of course, neglect these issues.

Chapter Four: Against Introspective and Conceptual Arguments for Essential Features

Chapter Three introduced ten possibly essential features of conscious experience: luminosity, subjectivity, unity, access, intentionality, flexible integration, determinacy, wonderfulness, specious presence, and privacy. How could we know whether any of these possibly essential features of consciousness is in fact necessarily present in all conscious experience? I see three ways: introspection and memory of our own experience; analysis of the concepts involved; or reliance on a well-grounded empirical theory. This chapter argues that the first two methods won't succeed. Later chapters will cast doubt on the empirical approach.

1. Introspection, Problem One: Introspective Unreliability.

Across the history of psychology and philosophy, scholars have disagreed dramatically about what introspection reveals. Some report that all of their experiences are sensory or imagistic (including inner speech as “auditory imagery”), while others report entirely non-imagistic abstract thoughts.³⁹ Some report a welter of experience moment to moment in many senses and modes simultaneously – constant background experiences of the feeling of your feet in your shoes, the hum of distant traffic, the colors of peripheral objects, mild hunger, lingering irritability, an anticipatory sense of control of your next action, and so on, all simultaneously – while others hold that experience is limited at any one time to just one or a few things in attention.⁴⁰ Some report that visual experience is always, or often, two-dimensional, as if

³⁹ Reviewed in Bayne and Montague, eds., 2011; Beefeldt 2013, ch. 6.

⁴⁰ Reviewed in Schwitzgebel 2011, ch. 6.

everything were projected on a planar surface, while others report that visual experience is richly three-dimensional.⁴¹

Some introspective researchers from the late 19th and early 20th centuries reported that nearly every visual object is experienced as doubled – similar to the double image of a finger held near the nose when viewed with both eyes. These researchers argued that ordinary people overlook the doubling because we normally attend only to undoubled objects at the point of binocular convergence.⁴² Although I find this view extremely difficult to accept introspectively, in seminar discussion the majority of my graduate students, after reading the literature, came to agree that pervasive doubling was a feature of their visual experience.

There's a certain type of nerdy fun in rummaging through 19th- and early 20th-century introspective psychology and physiology to find researchers' sometimes stunningly strange depictions of human experience. (Well, I find it fun.) The keen-eyed reader will find enormous disagreements about the nature of emotional experience, and attention, and of the experiences of darkness and sensory adaptation, and whether dreams are black and white, and what is described as an "illusion", and how harmonies are experienced, and the experience of peripheral vision, and the determinacy or indeterminacy of visual imagery, and whether there's a feeling of freedom, and much else besides. My 2011 book, *Perplexities of Consciousness*, explores the history of such disagreements in detail. Some of these divergent reports must be mistaken. At least as claims about what human experience is like in general, they conflict; not all can be true.⁴³

⁴¹ Reviewed in Schwitzgebel 2011, ch. 2.

⁴² Reviewed in Schwitzgebel 2011, ch. 2 §vii.

⁴³ For a defense of the view that proper introspection reveals that people have radically different inner lives, see Hurlburt in Hurlburt and Schwitzgebel 2007.

You might find it introspectively compelling that all of your experiences include a subjective for-me-ness, or that they are always unified, or that they are never indeterminately half-present, or that they always transpire across the smear of a specious present. You might be tempted to conclude that these features are universal across all possible experiences. However, I'd advise restraint about such conclusions as an appropriate response to the history of diverse opinion.⁴⁴

2. Introspection, Problem Two: Sampling Bias.

If any of your experiences are unknowable, you won't of course know about them. To infer the essential luminosity (i.e., knowability) of experience from your knowledge of all the experiences *you know about* would be like inferring that everyone is a freemason from a sampling of regulars at the masonic lodge. Similarly, if some experiences don't affect downstream cognition, you won't be able to reflect on or recall them. There's a methodological paradox in inferring that all experiences are knowable or accessible from a sample of experiences guaranteed to be among the known and accessed ones.

Methodological paradox doesn't infect the other eight possibly essential features quite as inevitably, but sampling just from the masonic lodge remains a major risk. For example, even if it seems to you now that every experience you can introspect or remember constitutes a felt unity with every other experience had by you at the same moment, that could be an artifact of what you introspect and remember. Introspection might create unity where none was before. Disunified experiences, if they exist, might be quickly forgotten – never admitted to the mason's

⁴⁴ See also Titchener 1901-1905; Hurlburt and Schwitzgebel 2007; Siewert 2007; Schwitzgebel 2011.

lodge. Similarly perhaps for indeterminate experiences, inflexible experiences, or atemporal experiences.

In principle, nonessentiality is easier to establish. A single counterexample suffices. One disunified, atemporal, or indeterminate experience would establish the nonessentiality of unity, specious presence, or determinacy. However, Problem One still applies. Accurately introspecting structural features of this sort is a surprisingly difficult enterprise.

3. Introspection, Problem Three: The Narrow Evidence Base.

The gravest problem lies in generalization beyond the human case. Waive worries about unreliability and sampling bias. Assume that you have correctly discerned through introspection and memory that, say, six of the ten proposed features belong to all of your experiences. Go ahead and generalize to all ordinary adult humans. It still doesn't follow that these features are universal among all possible experiencers. Maybe lizards or garden snails have experiences that lack luminosity, subjectivity, or unity. Since you can't crawl inside their heads, you can't know by introspection or experiential memory. (In saying this, am I assuming privacy? Yes, relative to you and lizards, but not as a universal principle.)

Even if we could somehow reasonably generalize from universality in humans to universality among animals, it wouldn't follow that those same features are universal among AI cases. Maybe AI systems can be more disunified than any conscious animal. Maybe, in defiance of privacy, AI systems can be built to directly introspect each other's experiences, without thereby collapsing into a single unified subject. Maybe AI systems needn't have the impression of the wonderful irreducibility of consciousness. Maybe some of their experiences could arise from reflexes with no possible downstream cognitive consequences.

Simple generalization from the human case can't warrant claims of universality across all possible conscious entities. The reason is fundamentally another version of sampling bias: Just as a biased sample of *experiences* can't warrant claims about all experiences, so also a biased sample of *experiencers* can't warrant claims about all experiencers. To defend the view that all conscious systems *must* have one or more of luminosity, subjectivity, unity, access, intentionality, etc., will require sturdier grounds than generalization from human cases.

4. Conceptual Arguments, Problem One: The Shared Concept.

Conceptual arguments don't rely on generalization from cases, so they are immune to concerns about sampling bias or a narrow evidence base. A conceptual argument for the essentiality of one of the ten candidate features would attempt to establish that the feature is entailed by the very concept of consciousness. At the beginning of Chapter Three, I suggested that mentality and temporality are conceptually entailed essential features of consciousness. Consider also some other conceptual entailments: *Rectangle* entails *having four sides*. *Bachelor* entails *unmarried*. All *blue* things are also *colored*. All *trees* are *biological organisms*.

Chapter Two proposed that there's a standard, shared concept of (phenomenal) consciousness that we naturally grasp by considering examples and evocative phrases. If this shared concept exists, a challenge arises for anyone who holds that any of the ten features is entailed by that shared concept: Why do many philosophers and psychologists deny these entailments? Why aren't luminosity, subjectivity, etc., as obviously entailed by consciousness as four-sidedness is by rectangularity and coloration is by blueness? The explanation can't be *introspective* failure. We cannot say: The luminosity and subjectivity of experience are easy to miss because they are always present and thus easily ignored, unnoticed like a continual

background hum. The method at hand isn't introspection. It's conceptual analysis. I examine my concept of consciousness. I attempt to discern its components and implications. I cannot discover a conceptual entailment to any of the ten features.⁴⁵

I might be failing to see a subtle or complicated entailment. The concept of rectangularity entails that the interior angles sum to 360 degrees in a Euclidean plane. Without a geometrical education, this particular entailment is easily missed. Might luminosity, subjectivity, etc., be nonobvious conceptual entailments?

I cannot rule that out, but I can offer an account of how one might easily make the opposite mistake – the mistake of overattributing conceptual entailments.

Consider rectangularity again. Having two pairs of parallel sides might seem to be an essential feature. But it is not. In non-Euclidean geometry, rectangles needn't have parallel sides. It's understandable how someone who contemplates only Euclidean cases might mistakenly treat parallelism as essential. They might even form a nearby concept – rectangle-in-a-Euclidean-plane – which does have parallelism as an essential feature. But that is not the shared standard concept of rectangularity, at least in formal geometry.

Similarly, then, someone might regard luminosity, subjectivity, unity, etc., as essential features of consciousness if they consider only luminous, subjective, or unified cases. They might fail to consider or imaginatively construct possible cases that lack these properties, especially if such cases are unfamiliar. But AI cases might be to human cases as non-Euclidean geometry is to Euclidean geometry.

⁴⁵ One exception might be subjectivity, on a sufficiently vacuous notion of subjectivity – perhaps Hume's (1740/1978) bundle view or Strawson's (2008) "thin" subject; see Schwitzgebel and Nelson 2025.

Thinking too narrowly, an advocate of the essentiality of one of these ten features might form a concept adjacent to the concept of consciousness, such as consciousness-with-luminosity, consciousness-with-subjectivity, consciousness-with-unity, etc. However, none of these concepts is the same as the concept of consciousness. There is no redundancy between the first and second parts of the concept as there is in rectangularity-with-four-sides. Rectangularity and rectangularity-with-four-sides really are the same concept. In the definitional exercise of Chapter Two, which concept is picked out by the examples? Consciousness or consciousness-with-luminosity? Which is the obvious one, assuming these concepts are different? I submit that it is consciousness plain, rather than consciousness-with-luminosity. Similarly for consciousness-with-subjectivity, consciousness-with-unity, consciousness-with-access, etc.

The argument I've just offered is, I recognize, hardly conclusive. I present it only as an explanatory burden that a defender of essentiality must meet. Can you explain the underattribution of essentiality as naturally as I can explain its overattribution?

5. Conceptual Arguments, Problem Two: Nonobviousness.

Most conceptual arguments in this vicinity treat the essentiality as obvious on reflection. In my judgment, such claims are never as obvious as claims like *bachelors cannot be married* or *blue is a color*. I'll present two influential examples to give a flavor.

5.1. Example 1: Higher Order Thought and Luminosity.

In his canonical early formulation and defense of the Higher Order Thought theory of consciousness, David M. Rosenthal writes:

Conscious states are simply mental states we are conscious of being in. And in general our being conscious of something is just a matter of our having a thought of some sort about it. Accordingly, it is natural to identify a mental state's being conscious with one's having a roughly contemporaneous thought that one is in that mental state (2005, p. 26).⁴⁶

One might interpret this as a conceptual argument. The concept of a conscious mental state is just the concept of a state we are conscious of being in, which in turn is just a matter of having an (unmediated and properly caused, as Rosenthal later clarifies) thought about that mental state. A type of luminosity is therefore essential to consciousness. Consciousness conceptually entails knowledge of or awareness of or representation of some aspect of one's own mind.⁴⁷

Higher Order theories of consciousness are among the leading scientific contenders (see Chapter Eight). But few readers of Rosenthal – and perhaps not Rosenthal himself – regard this conceptual argument as sufficient on its own to establish the truth of Higher Order theory. Higher Order theorists typically seek empirical support. If the purely conceptual argument were successful, empirical support would be as otiose as polling bachelors to confirm that all bachelors are unmarried.⁴⁸

Here's one reason Rosenthal's argument won't work purely as a conceptual argument: Terms like “conscious” and “awareness” are ambiguous between experiential and epistemic

⁴⁶ Similarly, Lycan 2001.

⁴⁷ Though see Rosenthal on the possibility of mistakes. It is clear that Rosenthal intends this account to apply not only to humans but also at least to non-human animals. The seeming implication is that only animals with fairly sophisticated cognitive abilities (the ability to think about their mental states) can be conscious: Gennaro 2012; Rolls 2019.

⁴⁸ Brown 2025 is a Higher Order theorist who especially emphasizes that the truth or falsity of Higher Order views will be decided on empirical rather than conceptual grounds.

senses. Saying that I am *conscious of* or *aware of* something can be a way of saying I know something about it. Alternatively, it can be a way of saying that I'm having an experience of some sort. These meanings are linked, and it's natural to slide between them, since at least in familiar adult human cases, experiencing something normally involves knowing something about it. However, it is not evident as a matter of conceptual necessity that the epistemic and experiential need to be linked in the manner Rosenthal suggests, always and for all possible entities. The superficial appearance of a simple conceptual argument collapses if the experiential and epistemic senses of "conscious" are disambiguated. "[Experientially] conscious states are simply mental states we are [epistemically] conscious of being in" might be true, but it is not a self-evident tautology.

5.2. *Example 2: Intentionality and Brentano's Thesis.*

Nineteenth-century philosopher and psychologist Franz Brentano famously argued that all mental phenomena are intentional, that is, are directed toward or about something:

Every mental phenomenon is characterized by what the Scholastics of the Middle Ages called the intentional (or mental) inexistence of an object, and we might call, though not wholly unambiguously, reference to a content, direction toward an object (which is not to be understood here as meaning a thing), or immanent objectivity. Every mental phenomenon includes something as object within itself, although they do not all do so in the same way. In presentation, something is presented, in judgement something is affirmed or denied, in love loved, in hate hated, in desire desired, and so on.

This intentional inexistence is characteristic exclusively of mental phenomena. No physical phenomenon exhibits anything like it. We can, therefore, define mental phenomena by saying that they are those phenomena which contain an object intentionally within themselves.⁴⁹

Brentano's argument is conceptual. All judgments are judgments *about* something. Plausibly this is entailed by the very concept of a judgment. Loving likewise appears conceptually to entail an object – someone or something loved. If similar entailments hold for every possible mental state, then it is a conceptual truth that all mental states are intentional. Michael Tye's later argument that all mental states have representational content has a similar structure.⁵⁰

The success of such arguments depends on the nonexistence of counterexamples, and since the beginning counterexamples have been proposed. Brentano discusses William Hamilton's example of feelings such as pleasure. Tye discusses diffuse moods. Not only, the objector argues, can I be happy *about* something but I can also be happy *in general*, with no particular object. Brentano suggests that feelings without objects are about themselves.⁵¹ Tye suggests that they represent bodily states.⁵²

Brentano or Tye might or might not be right about feelings and moods, but a disadvantage of approaching the conceptual question by enumerative example is that it's unclear on what grounds Brentano and Tye can generalize beyond the human case to all possible experiences by all possible experiencers. This variety of conceptual argument thus risks the same methodological shortcoming that troubles purely introspective arguments. Even granting

⁴⁹ Brentano 1874/1973, p. 88-89.

⁵⁰ Tye 1995.

⁵¹ Brentano 1874/1973, p. 90.

⁵² Tye 1995, p. 124-129.

that all *human* experience is intentional, that is a narrow base for generalizing to all possible experiencers, including novel AI constructs designed very differently from us. Brentano and Tye might be correct, but an enumerative conceptual argument alone cannot deliver the conclusion.

Some conceptual claims are obvious. In holding that bachelors are necessarily unmarried, we stand on solid ground. No similarly obvious conceptual argument supports the essentiality of any of the ten possibly essential properties of consciousness.

6. Conceptual Arguments, Problem Three: Imaginative Limitation.

One way to test for conceptual necessity is to seek imaginative counterexamples. If a thorough search for counterexamples yields no fruit, that's tentative evidence in favor of necessity. Of course, thoroughness is crucial. The advocate of the conceptual entailment from rectangularity to parallel sides failed to be thorough by neglecting non-Euclidean cases.

Our imaginations are limited. Moreover, we sometimes employ standards of successful imagination that illegitimately foreclose genuine possibilities. Consider another mathematical example: imaginary numbers. Ask a middle-school student if they can imagine a number that doesn't fall on the real number line from negative to positive infinity. No, the student might say. Ah, but here comes i , the square root of negative 1. Suddenly, there's a whole world of imaginary and complex numbers that the middle-schooler had not thought to imagine. At first, before adjusting to the concept, the middle schooler might deny its imaginability. If the standard of successfully imagining a number N is imagining counting N beans or picturing N sheep, even negative numbers will seem unimaginable.

I advise considerable skepticism about claims of the unimaginability or inconceivability of conscious experiences lacking the ten possibly essential features. For example, you might

struggle to conceive of a conscious experience without a subject (contra subjectivity), an intermediate state between conscious and nonconscious (contra determinacy), or a partly disunified state where experience A is felt to co-occur with experience B and experience B with experience C but not A with C (contra unity). However, this difficulty might stem from constraints on what you regard as a successful act of imagination, like our middle-schooler needing to picture some beans. Paradox ensues if the only permissible way to imagine a subjectless, indeterminate, disunified experience is as a vividly present experience in the unified field of an entity who feels like a subject.⁵³

To escape imaginative ruts, consider some architectural facts about possibly conscious entities. For example, if consciousness depends on big, messy brains, it's unlikely always to switch on and off instantaneously, suggesting borderline cases in development, evolution, sleep, and trauma, contra determinacy. If we could design, build, breed, or discover a conscious entity with only partly unified cognition (maybe the octopus is an actual case), then consciousness too might be only partly unified. If AI or organic systems could be conscious while directly accessing each other's interior structures, privacy might fail.⁵⁴ I present these considerations not as full arguments but rather to loosen ungrounded presuppositions masquerading as conceptual necessities.

Some or all of these ten features of consciousness might indeed be essential. My argument so far is only that introspection and conceptual analysis alone cannot establish this.

⁵³ For a detailed discussion, see Schwitzgebel 2023; Schwitzgebel & Nelson 2025.

⁵⁴ One real life case might be the Hogan twins, conjoined twins connected at the head, with overlapping brains and the capacity to report at least some of what is going on in each other's minds. See the 2017 CBC documentary *Inseparable: Ten Years Joined at the Head*.

We'll need, probably, to do some empirical science. But it's also hard to see how to resolve these issues empirically, as I'll discuss later.

Without clarity about the essential features of consciousness, we lose a crucial foothold for evaluating AI systems with architectures very different from our own. We know that if an AI is conscious, there must be “something it's like” to be them, but we won't know whether they need to represent their own processes, have unified cognition, have information widely accessible across the whole system, have a sense of self or of time, and so on – much less what specific *kinds* of self-representation, information-sharing, sense of self, etc., they would need to have.

Chapter Five: Materialism and Functionalism

Now that we are (hopefully) sufficiently clear about what consciousness is and (hopefully) sufficiently skeptical about introspective and conceptual arguments concerning its essential structural features and functional profile, let's step back for a broader metaphysical view. Are there compelling general metaphysical reasons to deny consciousness to AI systems? In this chapter, I'll suggest probably not, unless one adopts a metaphysical view outside of the scientific mainstream.

1. Materialism Is Broadly Friendly to the Possibility of AI Consciousness.

According to *materialism* (or *physicalism*), every concrete entity is composed of, reducible to, or most fundamentally, material or physical stuff – where “material or physical stuff” means things like elements of the periodic table and the various particles, waves, or fields that interact with or combine to form them. All is atoms in the void, so to speak. In particular, no immaterial soul exists and no mental properties exist distinct from that material or physical stuff. Your mind is somehow just a complex swirling of fermions and bosons.⁵⁵

Broadly speaking, materialism is friendly to the possibility of AI consciousness. At the deepest ontological level, people and artificial machines don't differ, as they would if you had a soul while a machine did not. Although it seems strange – maybe even inconceivable from our limited perspective⁵⁶ – that genuine consciousness could arise from electrical signals shooting

⁵⁵ On the challenges of defining materialism or physicalism, see Montero 1999; Stoljar 2010.

⁵⁶ Chalmers 1996; McGinn 2000.

across silicon wafers, consciousness does in fact arise from electrochemical signals shooting through neurons. If the latter is possible, the former might be too.

Materialist arguments can be made against AI consciousness, at least on a moderately narrow definition of “AI”. But since you and a robot are made fundamentally of the same basic stuff, those arguments must hinge on the specific material configurations involved, not on metaphysical dissimilarity at the most fundamental level.

2. Alternatives to Materialism Don't Rule Out AI Consciousness.

Materialism has been the dominant view in the natural sciences and mainstream Anglophone philosophy since at least the 1970s. I will assume it in the remainder of this book. However, alternatives remain live. Before proceeding, let's pause to note that none of the main alternatives, in their most general form, disallows AI consciousness.

Substance dualism holds that mind is one type of thing, matter another. As Alan Turing noted (we'll return to him in Chapter Six), nothing in principle seems to prevent either God (by miracle) or a natural developmental process from instilling a soul in a computational machine.⁵⁷

Property dualism holds that mental *properties* are one thing, material properties another. Again, nothing in principle seems to prevent mental properties from arising in AI systems, and the most prominent advocate of property dualism, David Chalmers, defends the possibility of AI consciousness.⁵⁸

According to *panpsychism*, consciousness is all-pervasive. While some panpsychists deny that aggregates such as rocks have conscious experiences distinct from the individual

⁵⁷ Robinson 2003/2023; Turing 1950, p. 443.

⁵⁸ Chalmers 1996.

experiences of the particles composing them, panpsychism either trends liberal about the attribution of consciousness or permits the same variable opinions about intermediate-sized objects as do other views.⁵⁹

According to *metaphysical idealism*, there is no mind-independent material world at all. Everything is fundamentally mental – just souls and their ideas. AI systems might then, like rocks, be only patterns of ideas in our souls, and thus not candidates for independent consciousness. Yet souls must arise somehow – whether through natural law or divine action. Nothing in principle seems to preclude souls whose interaction with the world is patterned by artificial rather than biological embodiment.

According to *transcendental idealism*, fundamental reality is unknowable. This epistemically modest view is entirely consistent with AI consciousness. Indeed, I’ve argued elsewhere that on one (simulationist) version of transcendental idealism, fundamental reality is a conscious computer.⁶⁰

According to *it from bit*, at the most fundamental level, reality is information processing, like the information processing in a computer. Since information processing underlies human consciousness, presumably it could also do so in AI systems.

This list is not exhaustive, but the point should be clear: Rejecting materialism needn’t imply rejecting AI consciousness.

3. *AI and the Spirit of Functionalism.*

⁵⁹ Especially Roelofs 2019.

⁶⁰ Schwitzgebel 2017, 2024, ch. 5; relatedly, Schlicht 2025.

What makes pain *pain*? Specifically, since we're now assuming materialism and interested in consciousness, what makes a particular material configuration a painful experience rather than hunger or no experience at all? Here you are, 10^{28} atoms spread through a wet, lumpy tenth of a cubic meter. What bestows the magic?

The two most obvious and historically important materialist answers are: something about your material configuration or something about the causal patterns in which you participate. On the material configuration view, the reason you experience pain is that certain neurons in certain regions of your brain (or brain-plus-body or brain-plus-body-plus-environment) are active in a certain way.⁶¹ On the causal patterns view – also known as *functionalism* – you experience pain because you are in a state that plays a certain functional role in your cognitive economy (or the cognitive economy of your species). For example, you are in a state apt to have been caused by tissue stress and that is apt to cause in turn (depending on other conditions) avoidance, protection, anger, regret, and calls to the doctor.⁶²

If the material configuration view is correct, then no neurons means no pain. Conscious states require biological neurons – or at least something sufficiently similar. If artificial “neurons” don’t count, then near-term AI is unlikely unless biological AI advances swiftly. We will discuss *biologist* views in Chapter Ten.

In contrast, if functionalism is correct, then any computational system that implements the right causal/functional relationships will be conscious. We will discuss some specific functionalist theories in Chapters Eight and Nine, but here I only want to highlight that functionalism is generally friendly in principle to the possibility of AI consciousness.

⁶¹ Smart 2000/2022.

⁶² Levin 2004/2023.

The most common defense of functionalism is the *multiple realizability argument*. Humans feel pain but so also, plausibly, do octopuses, despite very different nervous systems.⁶³ If alien life exists elsewhere in this vast cosmos, as most astronomers think likely, then some aliens might also feel pain, despite radically different architectures. If so, pain can't depend too sensitively on specific details of material configuration.

A thought experiment: Tomorrow, flying saucers arrive. Out descend friendly aliens who speak English, converse with us about philosophy, psychology, space-faring technology, and the history of dance. When injured, they cry out, protest, protect the affected area, flap their antennae in distress (which they say is their equivalent of tears), seek medical help, avoid such situations in the future, and swear revenge. It seems natural to suppose that these aliens feel pain. (Chapter Ten will present an argument for this claim; for now, treat it as intuitive.)

But maybe inside they have nothing like human neurons. Maybe their cognition runs through hydraulics, internal capillaries of reflected light, or chemical channels. What matters, the functionalist says, is not *what they're made of* but rather *how they function*. Do they receive input from the environment and respond to it flexibly in light of past events? Do they preserve themselves over time, suffering short-term losses to avoid larger long-term risks? Do they communicate detailed information with each other? Do they monitor their internal processes, report them to others, and integrate inputs from a variety of sources over time to generate intelligent action? If they have enough of the right sort of these functional processes, then they are conscious, regardless of what they happen to be made of.

Functionalist philosophers and psychologists approach AI with the same liberality, focusing on whether systems implement the right functional processes, regardless of their

⁶³ Bickle 1998/2020.

material composition. The question is only what specific functions are sufficient for consciousness and how close our current systems are to implementing those functions.

Unsurprisingly, the answer depends on the essential structural and functional features of consciousness.

4. Computational Functionalism.

According to *computational functionalism*, mentality is computation. The functional processes constitutive of the mind are computational processes. In principle, this position is even more hospitable to AI consciousness than functionalism generally. Whatever computational processes suffice for consciousness in us, if we can reproduce them in AI, then that system will be conscious.

But what is computation? On a very liberal view, any process can be described computationally, in terms of abstract if-then rules. Cars zipper-merging on a freeway can be described computationally as converting 0, 0, 0... in the left lane and 1, 1, 1... in the right lane into 0, 1, 0, 1, 0, 1... in the merged lane. An acorn dropping from a tree can be described as a process of subtracting one from the sum of acorns on the tree and adding one to the sum on the ground.⁶⁴ It's then trivially true that whatever processes generate consciousness in us can be modeled computationally.

Critics object that description is not creation. A computational model of a hurricane gets no one wet; a computational model of an oven cooks no turkey. Similarly, a computational model of a mind, even if executed in complete detail on a computer, might not generate

⁶⁴ For defenses of pancomputationalism: Putnam 1967; Searle 1992; Chalmers 1996.

consciousness.⁶⁵ Proponents of computational functionalism can reply that the mind is different, computation being its essence. Alternatively – retreating from the strongest version of computational functionalism – defenders of AI consciousness can note that AI systems have sensors, effectors, and real physical implementations. If they emit microwaves, they *can* cook turkeys. Their reality isn’t exhausted by their computational description, and the right computations plus the right sensors, effectors, and implementations might suffice for consciousness.

A narrower definition of computation, advanced by Gualtiero Piccinini, restricts computation to systems with the function of manipulating “medium-independent vehicles” according to rules – where medium-independent vehicles are physical variables defined solely in terms of their degrees of freedom (e.g., 0 vs. 1) rather than their specific physical composition.⁶⁶ Maybe human brains perform computation in that sense; maybe not.⁶⁷ Without entering into the details, we can again note that AI systems do more than just compute. They can output readable text and manipulate real physical objects via effectors. So one needn’t hold that the right type of computation is sufficient by itself for consciousness to hold that AI systems might be conscious.

Conversely, even if computational functionalism is true, that’s no guarantee that it’s possible to instantiate the relevant computations on any feasible AI system in the foreseeable future.

⁶⁵ Searle 1984.

⁶⁶ Piccinini 2015.

⁶⁷ Piccinini and Bahar 2013; Rescorla 2015/2025.

Chapter Six: The Turing Test and the Chinese Room

This chapter evaluates two influential arguments about near-term AI consciousness: one in favor, based on the “Turing test”, and one against, based on John Searle’s “Chinese room” and Emily Bender’s related “underground octopus”. One advantage of these arguments is that they don’t require commitment to the essentiality or inessentiality of any of the ten features discussed in Chapter Three. One disadvantage is that they don’t work.

1. Against the Turing Test as an Indicator of Consciousness.

It’s tempting to think that sufficiently sophisticated linguistic behavior warrants attributing consciousness. Imagine the aliens from Chapter Five emitting sounds or text that we naturally interpret as English sentences, with the apparent acuity and knowledge of an educated human. In the spirit of functionalist liberalism about architectural details, one might regard this as sufficient to establish consciousness, even knowing nothing about their bodies, internal structures, or non-linguistic behavior.

Alan Turing’s 1950 “imitation game” – better known as the Turing test – treats linguistic indistinguishability from a human as sufficient grounds to attribute “thought”.⁶⁸ If a machine’s verbal behavior is sufficiently humanlike, we should allow that it thinks. This idea has been adapted as a test of consciousness.⁶⁹

In the original setup, a human and a machine, through a text-only interface, each try to convince a human judge that they are human. The judge is free to ask whatever questions they

⁶⁸ Turing 1950.

⁶⁹ Harnad 2003; Schneider 2019.

like, attempting to prompt a telltale nonhuman response from the machine. The machine passes if the judge can't reliably distinguish it from the human. More broadly, we might say that a machine "passes" if its verbal outputs strike users as sufficiently humanlike to make discrimination difficult.

Indistinguishability comes in degrees. Turing tests can have relatively high or low bars.

A low-bar test might involve:

- *ordinary users* as judges, with no special expertise;
- *brief interactions*, such as five minutes;
- *a relaxed standard of distinguishability*, for example, the machine passes if 30% of judges guess wrong.

A high-bar test might require:

- *expert judges* trained to distinguish machines from humans;
- *extended interactions*, such as an hour or more;
- *a stringent standard of distinguishability*, for example, the machine fails if 51% of judges correctly identify it.

The best current language models already pass a low-bar test.⁷⁰ But language models will not pass high-bar tests for a long time, if ever. So let's avoid talk about whether machines pass "the" Turing test. There is no one Turing test.

A better question is: *What type and degree of Turing indistinguishability, if any, would establish that a machine is conscious?* Indistinguishability to experts or non-experts? Over five minutes or five hours? With what level of reliability? We might also consider topic-relative or tool-relative indistinguishability. A machine might be Turing indistinguishable (to some judges,

⁷⁰ Jones and Bergen 2025.

for some duration, to some standard) when discussing sports or fashion but not when discussing consciousness.⁷¹ A machine might fool unaided judges but fail when judges employ detection tools.

Turing himself proposed a relatively low bar:

I believe that in about fifty years' time it will be possible, to programme computers... to make them play the imitation game so well that an *average interrogator* will not have more than *70 per cent chance* of making the right identification after *five minutes* of questioning... [and] one will be able to speak of machines thinking without expecting to be contradicted.⁷²

I have italicized Turing's implied standards of judge expertise, indistinguishability, and duration.

Regarding consciousness, Turing writes:

I do not wish to give the impression that I think there is no mystery about consciousness. There is, for instance, something of a paradox connected with any attempt to localise it. But I do not think these mysteries necessarily need to be solved before we can answer the question with which we are concerned in this paper.⁷³

Turing sets aside the question of consciousness to focus on “thinking”. This is, I think, wise.

Whether it's reasonable to describe a machine as “thinking”, “wanting”, “knowing”, or “preferring” one thing or another is to some extent a matter of practical convenience. Consider a language model integrated into a functional robot that tracks its environment and has specific

⁷¹ Turner and Schneider's test turns specifically on questions about consciousness: Schneider 2019, though for concerns see Udell and Schwitzgebel 2021.

⁷² Turing 1950, p. 442.

⁷³ Turing 1950, p. 447.

goals. As a practical matter, it will be difficult to avoid saying that the robot “thinks” that the pills are in Drawer A and that it “prefers” the slow, safe route over the quick, risky route, especially if it verbally affirms these opinions and desires. Belief, desire, and thought attribution will be too useful to resist.⁷⁴

But consciousness is different. Whether a machine is *usefully describable* as “thinking” and “wanting” is one thing. Whether it *actually has experiences* is another, and not a matter to be decided on practical grounds of terminological convenience.

For consciousness, we should probably abandon hope of a Turing-test standard.

Note, first, that it’s unrealistic to expect any near-future machine to pass the very highest bar Turing test. No machine will reliably fool experts who specialize in catching them out, who are armed with unlimited time and tools, and who need to exceed 50% accuracy by only the slimmest margin. As long as machines and humans differ in underlying architecture, they will differ in their patterns of response in some conditions, which experts can be trained or equipped to detect.⁷⁵ To insist on an impossibly high standard is to guarantee in advance that no machine could prove itself conscious, contrary to the spirit of the test. Imagine applying such a ridiculously unfair test to a visiting space alien.

Too low a bar is equally unhelpful. As noted, machines can already pass some low-bar tests, despite lacking the capacities and architectures that most experts think are necessary for consciousness. To assume without substantial further argument that a low-bar Turing test

⁷⁴ This seems especially likely on interpretivist, fictionalist, and antirealist views about belief: Dennett 1987; Mölder 2010; Toon 2023; Schwitzgebel forthcoming; see also Cappelen and Dever 2025.

⁷⁵ Barring fantastical superemulators; barring giving the machines a chance to train against those experts in a mimic vs. dupe arms race; barring the machines being informed of the experts’ techniques.

establishes consciousness contradicts almost every scientific theory and the majority of experts on the topic.

Could we choose just the right mid-level bar – high enough to rule out superficial mimicry, low enough not to be ridiculously unfair? I see no reason to think that there must be some “right” level of Turing indistinguishability that reliably reveals consciousness. The past seven years of language-model achievements suggest that with clever engineering and ample computational power, superficial fakery might bring a nonconscious machine past any reasonably fair Turing standard.

Turing indistinguishability is an interesting concept with a variety of potential implications – for example, in customer service, propaganda production and detection, and AI companions. But for assessing consciousness, we’ll want to look beyond outward linguistic behavior.

2. The Chinese Room and the Underground Octopus.

In 1980, John Searle proposed a thought experiment: He is locked in a room and receives Chinese characters through a slot. Unfamiliar with Chinese, he consults a massive rulebook, following detailed instructions for manipulating those characters alongside a store of others, eventually passing new characters back through the slot. Outside the room, people interpret the inputted characters as questions in Chinese and the outputted characters as responses. With a sufficiently large and well-written rulebook, and ignoring time constraints, it might appear from outside as if Searle is conversing in Chinese.⁷⁶

⁷⁶ Searle 1980; relatedly, Block 1981.

Searle argues that if AI programs consist of if-then rules (as in Turing's standard model of digital computation⁷⁷), then in principle he could instantiate any AI program in this manner. But neither he nor the larger system of man-plus-rulebook-plus-room understands Chinese.

Therefore, Searle concludes, even if a computer program could produce outputs indistinguishable from those of a Chinese speaker, this is insufficient for genuine understanding. Searle's original 1980 article doesn't address consciousness, but his subsequent work makes clear that he intends the argument to work for consciousness also.⁷⁸

The Chinese room argument has generated extensive debate, much of it critical.⁷⁹ Some of the skepticism is justified – and the reader will notice that I have not rested my argument against the Turing test on Searle's criticism. In my assessment, the crucial weakness is the argument's reliance on the intuition – assertion? assumption? – that neither Searle nor any larger system of which he is a part knows Chinese.⁸⁰

In imagining the thought experiment, you might picture Searle working slowly through a 2000-page tome, outputting sets of characters every several minutes. And it does seem plausible if *that* were the procedure, nobody knows Chinese. But to actually pass a medium-bar Turing test, the setup would need to be vastly more powerful. Our best large language models, the ones that pass low-bar Turing tests, execute *hundreds of trillions of instructions* in dealing with complex input-output pairs. To match that, Searle would need tens of thousands of human lifetimes' worth of error-free execution. Alternatively, we might imagine a single giant lookup table with one page for every possible five-minute input sequence and its corresponding output.

⁷⁷ Turing 1936.

⁷⁸ Searle 1992.

⁷⁹ See the replies in Searle 1980; Cole 2004/2024.

⁸⁰ See the “systems reply” in Searle 1980; Cole 2004/2024.

If we assume 3000 possible Chinese characters at one character input per second for five minutes, the rulebook would require approximately 10^{1000} pages – many orders of magnitude more pages than there are atoms in the observable universe. *Maybe* no Chinese would be understood in the process; but that requires an argument. Human intuitions adapted for mammalian cases might be as ill-suited to procedures of that magnitude as intuitions based on tossing rocks are ill-suited to evaluating the behavior of photons crossing the event horizons of black holes.

This isn't to say that Searle or the system to which he contributes *would* understand – just that we shouldn't confidently assume that our impressions based on familiar cases should extend to the Chinese room case conceived in its proper magnitude. In fact, as I will argue in the next chapter, if the Chinese room was designed specifically to mimic the superficial features of human linguistic output, there's good reason to be skeptical about its outward signs of consciousness. That argument – the Mimicry Argument – is grounded in the epistemic principle of inference to the best explanation rather than in an appeal to intuitive absurdity.

Emily Bender and colleagues develop a similar example in a pair of influential papers from 2020 and 2021.⁸¹ Large language models, they say, are “stochastic parrots” that imitate human speech by detecting statistical relationships among linguistic items, reproducing familiar patterns without understanding. The most successful language models in 2020 – pure transformer models like GPT-3 – did indeed work like complex parrots: They tracked and recreated co-occurrence relationships among words or word-parts. Simplifying: If “peanut butter and” is usually followed by “jelly” in the huge training corpus of human texts, the model predicts and outputs “jelly” as the next word. Recycling that output as a new input, if “peanut butter and

⁸¹ Bender and Koller 2020; Bender et al. 2021.

jelly” is usually followed by “sandwich”, the model outputs “sandwich”. And on it goes. Unlike autocomplete on ordinary phones at the time, these statistical relationships can bridge across intervening phrases: If “peanut butter and jelly sandwich” has been preceded by “I love a good”, the model will predict and output a different next phrase than if it has been preceded by “Please don’t feed me another”. “Attention” mechanisms give words different weights in connection with other words, again patterned on human usage.

More recent language models aren’t quite so simply imitative. For example, in post-training they will receive feedback that makes certain outputs more likely and others less likely for reasons like safety and helpfulness – reasons, that is, other than matching patterns in the training corpus. But extensive training to match human word co-occurrence patterns remains at the core of the models’ functionality.

Bender and colleagues invite us to imagine an underground octopus eavesdropping on a conversation conducted via cable between two people stranded on remote islands. Once it has observed enough of their interaction, it can sever one end of the cable, substituting its own replies for those of the disconnected partner. It might fool the other island dweller for a while, passing a low-bar Turing test. But never having seen an island or a human, the octopus will not really understand what a coconut or a palm tree or a human hand is (this is sometimes called the “symbol grounding problem”⁸²). Bender and colleagues suggest that the octopus’s ignorance will be revealed when asked for specific help with a novel physical task, such as building a coconut catapult. Without understanding the meanings of the words and their relationships to everyday physics, it will be limited to responses like “great idea!” or suggestions unconstrained by physical plausibility.

⁸² Harnad 1990.

Bender and colleagues might or might not be right about the octopus's limitations. Subsequent language models have done surprisingly well – surprising from the perspective of 2020, at least – on even seemingly novel tasks one might have thought would require understanding meaning and not just statistical relationships among lexical items. The models are still far from perfect, and it's very much up for debate whether their patterns of failure reveal a fundamental lack of understanding or only specific deficiencies. And regardless of the answer to that particular question, near-future AI systems needn't be "underground" like the octopus: They can be robotically embodied in natural environments, potentially sidestepping Bender's main argument.

Similarly, Searle explicitly restricted his argument to Turing-style digital computers, not to AI systems of very different architectures that might soon emerge (recall Chapter Two).⁸³ Even if his or Bender's arguments reveal the nonconsciousness of the best known current AI systems, they do not generalize to near-future AI in general.

Regardless, Bender's octopus, like Searle's Chinese room, lays its finger (arm tip?) on an important worry. If a system is designed specifically to mimic patterns in human speech, the best explanation of its apparent fluency might be that it is an excellent mimic, rather than that it possesses the structures necessary for genuine understanding or consciousness. Rightly, we mistrust mimics. Copying the surface does not entail copying the depths. Next, let's consider the Mimicry Argument in more detail.

⁸³ Searle 1980, p. 422.

Chapter Seven: The Mimicry Argument Against AI Consciousness


This chapter presents what might be the best argument for skepticism about the consciousness of AI systems that are behaviorally very similar to us. The argument is inspired in part by Searle's and Bender's thought experiments, and it generalizes from passing remarks by many skeptics who hold that AI systems merely mimic, imitate, or simulate consciousness. However, it reaches only the weak conclusion that superficial behavioral evidence doesn't justify positively attributing consciousness to "consciousness mimics". The Mimicry Argument does not establish the stronger conclusion that AI systems are demonstrably nonconscious.

1. Mimicry in General.

In mimicry, one entity (the mimic) possesses a superficial or readily observable feature that resembles that of another entity (the model) because of the impact of that resemblance on an observer (the receiver), who treats the readily observable feature of the model as indicating some further feature. See Figure 1. For example, viceroy butterflies mimic monarch butterflies' wing coloration patterns to mislead predator species who avoid monarchs due to their toxicity.⁸⁴ An octopus can adopt the color and texture of its environment to seem to predators like an unremarkable (and inedible) continuation of that environment. Gopher snakes vibrate their tails in dry brush, mimicking a rattlesnake's rattle to deter threats.

⁸⁴ For some complications, see Prudic et al. 2019.

Figure 1: The mimic's possession of readily observable feature S2 is explained by its resemblance to feature S1 in the model because of how a receiver, who treats S1 as indicating further feature F, responds to the resemblance of S1 and S2. S1 reliably indicates F in the model but S2 need not reliably indicate F in the mimic.⁸⁵



⁸⁵ Image source: Schwitzgebel & Pober 2025, from which the ideas of this section are drawn.

Not all mimicry is deceptive. Parrots mimic each other's calls to signal group membership, and they can do so either deceptively or non-deceptively. A street mime might mimic a depressed person's gait to amuse bystanders, who of course don't think the mime is depressed. Turning to a technological example, a simple doll might say "hello" when powered on, mimicking a human greeting.

Mimicry is more than simple imitation. Mimicry requires an intended receiver, and that intended receiver must normally treat the readily observable feature, when it occurs in the model entity, as indicating some further feature: The parrot's call normally indicates group membership; the gait normally indicates a depressed attitude; the sound "hello", when spoken by the model entities (humans), normally indicates an intention to greet. This complex relationship between mimic, model, receiver, two readily observable features, and one further feature must be the reason that the mimic exhibits the readily observable feature in question. Ordinary imitation can have any of a variety of goals. For example, you might imitate someone's successful stone-hopping to avoid wetting your feet in a stream, or you might imitate the bench press form of a personal trainer to improve your own form. Unless there's an intended receiver who reacts to the imitation in light of their knowledge of what the feature normally indicates in the model – and whose reaction is the point of or explanation of the imitation – mimicry strictly speaking has not occurred.

We can also contrast mimicry with childhood language learning. Suppose a child learns a novel word ("blicket") for a novel object (a blicket), repeating that word in imitation of an adult speaker. The best explanation of their utterance is as a direct signal of their own knowledge that the object is a blicket, not the complex mimicry relationship. A better example of childhood mimicry is a child's theatrically clutching a pretend briefcase, saying "I have to hurry or I'll be

late for work!” The best explanation of their utterance is not their own hurry, but their anticipation of an audience’s reaction to the resemblance of their behavior to an adult’s anxious rushing about. (In solitary pretense, one might be one’s own audience.)

When you know that something has been designed or has evolved as a mimic, you cannot infer from the readily observed feature to the further feature in the way you ordinarily would in the model. Or at least you can’t do so without further evidence. Once you know that the viceroy mimics the monarch, you cannot infer from its wing pattern to its toxicity. Maybe the viceroy is toxic, but establishing that requires further evidence. Similarly, knowing that the toy’s “hello” mimics a human greeting, you cannot infer that the toy actually intends to greet you. Referring back to Figure 1, when confronted with the *model*, you can infer from readily observable feature S1 to further feature F, but when confronted with the *mimic*, you cannot infer from readily observable feature S2 to further feature F.

2. *The Chinese Room, the Underground Octopus, and the Mimicry Argument.*

Searle’s Chinese room and Bender’s underground octopus are mimics in this sense. Their readily observed features are their textual outputs, designed to resemble those of a human Chinese speaker or an island conversational partner. In humans, such outputs reliably indicate consciousness and linguistic understanding. But when those outputs arise from mimicry, we can’t – at least not without further argument – infer consciousness or linguistic understanding. The inference from sophisticated text to underlying conscious experience is undercut.

More generally, the Mimicry Argument against AI consciousness works as follows. A *consciousness mimic* is an entity that mimics some superficial or readily observable features that, in some set of model entities, reliably indicate consciousness. But because the mimic has been

designed or selected specifically to display those superficial features, we the receivers cannot justifiably infer underlying consciousness – not in the same way we can when we see those same features in the model entity. This is obvious for the “hello” toy, less obvious but still true for entities specifically designed to pass the Turing test or otherwise mimic the surface features of human language. An important class of AI systems are consciousness mimics in this sense.

Searle and Bender aim for a stronger conclusion, inviting us positively to conclude that the mimics *do not* have conscious linguistic understanding. I don’t think we can know this from their arguments. But both thought experiments successfully describe consciousness mimics whose outputs we should reasonably mistrust. The case *for* consciousness is undercut. It does not follow that the case *against* consciousness is established.

Compare with classic examples from epistemology. Ordinarily, if you see a horse-shaped animal with black and white stripes in a zoo, you can infer that it’s a zebra. But if you know that the zookeepers care only about displaying something with the superficial appearance of a zebra, good enough to delight naive visitors, you ought no longer be so sure. Maybe they’ve painted stripes on mules.⁸⁶ Ordinarily, if you see a barn-like structure in the countryside, you can infer the presence of a barn. But if you know that a Hollywood studio is filming nearby and cares only about creating the superficial appearance of a barn-studded landscape, you ought no longer be so sure. Some of the seeming-barns might be mere facades.⁸⁷

Ordinarily, if you’re having what seems to be a meaningful conversation, you can infer that your conversation partner is conscious and understands the meaning of your words. But if

⁸⁶ Dretske 1970.

⁸⁷ Goldman 1976.

you know that the entity is designed to mimic human text outputs, you ought no longer be so sure.

3. Consciousness Mimicry in AI.

Classic pure transformer models like GPT-3, as described in Chapter Six, are consciousness mimics. They are trained to output text that closely resembles human text, so that human receivers will interpret them as linguistically meaningful. An important discovery of the late 2010s and early 2020s was that such mimics could fool ordinary users in brief interactions.⁸⁸ The Mimicry Argument straightforwardly applies. We cannot infer from the superficial text outputs to underlying conscious understanding. Any argument that such machines do consciously understand must appeal to further considerations. In the next chapter we'll begin to consider what such arguments might look like, but the large majority of experts on consciousness agree that classic pure transformer models are not conscious to any meaningful degree.

Models programmed according to GOFAI (Good Old-Fashioned Artificial Intelligence) principles can also be seen as consciousness mimics. The “hello” toy is a simple example. A slightly less simple example is a program designed to output sentences like “Please enter the dates you wish to travel” or “Thank you for flying with Gigantosaur Airlines!” Such text outputs are modeled on English speakers’ linguistic behavior for the sake of a receiver who will attribute linguistic significance, but they don’t reveal any understanding in the machine. The machine needn’t have whatever underlying cognitive or architectural structures are necessary for genuine comprehension.

⁸⁸ Schwitzgebel, Strasser, and Schwitzgebel 2024; Fiedler and Döpke 2025; Jones and Bergen 2025.

Not all AI systems are consciousness mimics. AlphaGo, for example, was trained to play the game of Go by competing against itself billions of times, gradually strengthening connection weights leading to wins and weakening those leading to losses. By 2016, it was expert enough to defeat the world's best Go players.⁸⁹ Although some elements of its interface might involve linguistic mimicry, its basic functionality was not mimetic. It was trained actually to be good at Go, not just to have the superficial appearance of a Go player. Similarly, a calculator is not a mimic. It tracks arithmetic principles, not human behavior, though its outputs are shaped to be interpretable by human users. Of course, few people think AlphaGo or a calculator are conscious.

Recent Large Language Models such as ChatGPT and Claude build upon the mimicry structures of pure transformer models but also receive post-training. Reinforcement learning from human feedback “rewards” human-approved outputs, strengthening the associated weights. Some models are reinforced for being “right” by external standards, and some can access tools like calculators. To the extent the machines move beyond pure mimicry, the Mimicry Argument applies less straightforwardly. For now, mimicry-based skepticism still seems warranted, since their core architecture remains close to that of pure transformers, and their humanlike outputs are still best explained by their pretraining on word co-occurrence in human texts.

In the longer term, we might imagine architectures more thoroughly trained on the rights and wrongs of the world itself – maybe like AlphaGo but with the larger world, or some significant portion of it, as its playground. Outputs would be shaped primarily by success in real-world complex tasks, perhaps including communicative tasks, rather than by resemblance to

⁸⁹ Silver et al. 2016; Mozur 2017.

humans. The Mimicry Argument would then no longer apply. Skepticism about their consciousness, if warranted, would need a different basis.

Pulling together the threads of these past two chapters:

Perhaps with sufficient time and computational resources a machine could be designed to almost perfectly mimic human linguistic behavior, passing even a high-bar Turing test. Recent developments in AI have shown that, in practice, machines can fool ordinary users in brief interactions, with further improvements likely. However, if mimicry of human text patterns is the best explanation of the outputs, we cannot simply infer consciousness from their humanlike appearance, as we might with non-mimic entities like humans or aliens. Knowing that the system is designed as a mimic undercuts the usual inference from superficial behavior to underlying conscious cause.⁹⁰

⁹⁰ See also Birch 2024 on the “gaming problem”.

Chapter Eight: Global Workspace Theories and Higher Order Theories

If superficial patterns of language-like behavior cannot by themselves establish that an entity is conscious, where else might we look? One answer is the functionalist's: Look to the functional architecture. In the broad spirit of functionalism, we shouldn't demand too specifically humanlike a design, with exactly the same fine-grained functional structures we see in ourselves. More plausibly, what matters are big-picture functional relationships – especially those linked to the ten possibly essential features of consciousness.

The leading candidate, scientifically and probably philosophically – though far from a consensus view – is some version of Global Workspace Theory.⁹¹ Higher Order theories are also prominent and closely related.⁹² This chapter examines both approaches.

1. Global Workspace Theories and Access.

The core idea of Global Workspace Theory is straightforward. Sophisticated cognitive systems like the human mind employ specialized processes that operate to a substantial extent in isolation. We can call these *modules*, without committing to any strict interpretation of that term.⁹³ For example, when you hear speech in a familiar language, some cognitive process converts the incoming auditory stimulus into recognizable speech. When you type on a keyboard, motor functions convert your intention to type a word like “consciousness” into nerve signals that guide your fingers. When you try to recall ancient Chinese philosophers, some cognitive process pulls that information from memory without (amazingly) clogging your

⁹¹ E.g., Baars 1988; Dehaene 2014; Mashour et al. 2020.

⁹² E.g., Rosenthal 2005; Gennaro 2012; Lau 2022; Brown 2025.

⁹³ Full Fodorian (1983) modularity is not required.

consciousness with irrelevant information about German philosophers, British prime ministers, rock bands, or dog breeds.

Of course, not all processes are isolated. Some information is widely shared, influencing or available to influence many other processes. Once I recall the name “Zhuangzi”, the thought “Zhuangzi was an ancient Chinese philosopher” cascades downstream. I might say it aloud, type it out, use it as a premise in an inference, form a visual image of Zhuangzi, contemplate his main ideas, attempt to sear it into memory for an exam, or use it as a clue to decipher a handwritten note. To say that some information is in “the global workspace” just is to say that it is available to influence a wide range of cognitive processes. According to Global Workspace Theory, a representation, thought, or cognitive process is conscious if and only if it is in the global workspace – if it is “widely broadcast to other processors in the brain”, allowing integration both in the moment and over time.⁹⁴

Recall the ten possibly essential features of consciousness from Chapter Three: luminosity, subjectivity, unity, access, intentionality, flexible integration, determinacy, wonderfulness, specious presence, and privacy. Global Workspace Theory treats *access* as the central essential feature.

Global Workspace theory can potentially explain other possibly essential features. *Luminosity* follows if processes or representations in the workspace are available for introspective processes of self-report. *Unity* might follow if there’s only one workspace, so that everything in it is present together. *Determinacy* might follow if there’s a bright line between being in the workspace and not being in it. *Flexible integration* might follow if the workspace functions to flexibly combine representations or processes from across the mind. *Privacy*

⁹⁴ Mashour et al 2020, p. 776-777.

follows if only you can have direct access to the contents of your workspace. *Specious presence* might follow if representations or processes generally occupy the workspace for some hundreds of milliseconds.

In ordinary adult humans, typical examples of conscious experience – your visual experience of this text, your emotional experience of fear in a dangerous situation, your silent inner speech, your conscious visual imagery, your felt pains – appear to have the broad cognitive influences Global Workspace Theory describes. It's not as though we commonly experience pain but find that we can't report it or act on its basis, or that we experience a visual image of a giraffe but can't engage in further thinking about the content of that image. Such general facts, plus the theory's potential to explain features such as luminosity, unity, determinacy, flexible integration, privacy, and specious presence, lend Global Workspace Theories substantial initial attractiveness.

I have treated Global Workspace Theory as if it were a single theory, but it encompasses a family of theories that differ in detail, including “broadcast” and “fame” theories – any theory that treats the broad accessibility of a representation, thought, or process as the central essential feature making it conscious.⁹⁵ Consider two contrasting views: Dehaene's Global Neuronal Workspace Theory and Daniel Dennett's “fame in the brain” view. Dehaene holds that entry into the workspace is all-or-nothing. Once a process “ignites” into the workspace, it does so completely. Every representation or process either stops short of entering consciousness or is broadcast to all available downstream processes. Dennett's fame view, in contrast, admits degrees. Representations or processes might be more or less famous, available to influence some downstream cognitive processes without being available to influence others. There is no *one*

⁹⁵ E.g. Baars 1988; Tye 2000; Dennett 1991, 2005; Prinz 2012.

workspace, but a pandemonium of competing processes.⁹⁶ If Dennett is correct, luminosity, determinacy, unity, and flexible integration all potentially come under threat in a way they do not as obviously come under threat on Dehaene's view.

Dennettian concerns notwithstanding, all-or-nothing ignition into a single, unified workspace is currently the dominant version of Global Workspace Theory. The issue remains unsettled and has obvious implications for the types of architectures that might plausibly host AI consciousness.

2. Consciousness Outside the Workspace; Nonconsciousness Within It?

Global Workspace Theory is not the correct theory of consciousness unless *all* and *only* thoughts, representations, or processes in the Global Workspace are conscious. Otherwise, something else, or something additional, is necessary for consciousness.

It is not clear that even in ordinary adult humans a process must be in the Global Workspace to be conscious. Consider the case of peripheral experience. Some theorists

⁹⁶ Whether Dennett's view is more plausible than Dehaene's turns on whether, or how commonly, representations or processes are *partly* famous. Some visual illusions, for example, seem to affect verbal report but not grip aperture: We *say* that X looks smaller than Y, but when we *reach* toward X and Y we open our fingers to the same extent, accurately reflecting that X and Y are the same size. The fingers sometimes know what the mouth does not. (Aglioti et al. 1995; Smeets et al. 2020). We adjust our posture while walking and standing in response to many sources of information that are not fully reportable, suggesting wide integration but not full accessibility (Peterka 2018; Shanbhag 2023). Swift, skillful activity in sports, in handling tools, and in understanding jokes also appears to require integrating diverse sources of information, which might not be *fully* integrated or fully reportable (Christensen et al. 2019; Vauclin et al. 2023; Horgan and Potrč 2010). In response, the all-or-nothing "ignition" view can explain away such cases of seeming intermediacy or disunity as atypical (it needn't commit to 100% exceptionless ignition with no gray-area cases), by allowing some nonconscious communication among modules (which needn't be entirely informationally isolated), or by allowing for erroneous or incomplete introspective report (maybe some conscious experiences are too brief, complex, or subtle for people to confidently report experiencing them).

maintain that people have rich sensory experiences outside focal attention: a constant background experience of your feet in your shoes and objects in the visual periphery.⁹⁷ Others – including Global Workspace theorists – dispute this, introspective reports vary, and resolving such issues is methodologically tricky.

One problem: People who report constant peripheral experiences might mistakenly assume that such experiences are always present because they are always present *whenever they think to check* – and the very act of checking might generate those experiences. This is sometimes called the “refrigerator light illusion”, akin to the error of thinking the refrigerator light is always on because it’s always on when you open the door to check.⁹⁸ Even if you now seem to have a broad range of experiences in different sensory modalities simultaneously, this could result from an unusual act of dispersed attention, or from “gist” perception or “ensemble” perception, in which you are conscious of the general gist or general features of peripheral experience, knowing that there *are* details, without actually being conscious of those unattended details individually.⁹⁹

The opposite mistake is also possible. Those who deny a constant stream of peripheral experiences might simply be failing to notice or remember them. The fact that you don’t remember *now* the sensation of your feet in your shoes two minutes ago hardly establishes that you lacked the sensation at the time. Although many people find it introspectively compelling

⁹⁷ Reviewed in Schwitzgebel 2011, ch. 6; and though limited only to stimuli near the center of the visual field, see the large literature on “overflow” in response to Block 2007.

⁹⁸ Thomas 1999.

⁹⁹ Oliva and Terralba 2006; Whitney and Leib 2018.

that their experience is rich with detail or that it is not, the issue is methodologically complex because introspection and memory are not independent of the phenomena to be observed.¹⁰⁰

If we do have rich sensory experience outside of attention, it is unlikely that all of that experience is present in or broadcast to a Global Workspace. Unattended peripheral information is rarely remembered or consciously acted upon, tending to exert limited downstream influence – the paradigm of information that is *not* widely broadcast. Moreover, the Global Workspace is typically characterized as limited capacity, containing only a few thoughts, representations, objects, or processes at a time – those that survive some competition or attentional selection – not a welter of richly detailed experiences in many modalities at once.¹⁰¹

A less common but equally important objection runs in the opposite direction: Perhaps not everything in the Global Workspace is conscious. Some thoughts, representations, or processes might be widely broadcast, shaping diverse processes, without ever reaching explicit awareness.¹⁰² Implicit racist assumptions, for example, might influence your mood, actions, facial expressions, and verbal expressions. The goal of impressing your colleagues during a talk might have pervasive downstream effects without occupying your conscious experience moment to moment.

The Global Workspace theorist might respond by stipulating that no process can be in the workspace without also being available to introspection. But then it becomes an empirical question how well introspectability correlates with other types of cognitive access. If the correlation isn't excellent, the Global Workspace theorist faces a dilemma: Either allow many

¹⁰⁰ Schwitzgebel 2007 explores the methodological challenges in detail.

¹⁰¹ E.g., Dehaene 2014; Mashour et al. 2020.

¹⁰² E.g., Searle 1983, ch. 5; Bargh and Morsella 2008; Lau 2022; Michel et al. 2025; see also note 96.

conscious but nonintrospectable processes, violating widespread assumptions about luminosity, or redefine the workspace in terms of introspectability, which amounts to shifting to a Higher Order view.

3. Generalizing Beyond Vertebrates.

The empirical questions are difficult even in ordinary adult humans. But our topic isn't ordinary adult humans – it's AI systems. For Global Workspace Theory to deliver the right answers about AI consciousness, it must be a *universal* theory applicable everywhere, not just a theory of how consciousness works in adult humans, vertebrates, or even all animals.

If there were a sound *conceptual* argument for Global Workspace Theory, then we could know the theory to be universally true of all conscious entities. Empirical evidence would be unnecessary. It would be as inevitably true as that rectangles have four sides. But as I argued in Chapter Four, conceptual arguments for the essentiality of any of the ten possibly essential features are unlikely to succeed – and a conceptual argument for Global Workspace Theory would be tantamount to a conceptual argument for the essentiality of access, one of those ten features. Not only do the general observations of Chapter Four suggest against a conceptual guarantee, so also does the apparent conceivability, as described in Section 2 above, of consciousness outside the workspace or nonconsciousness within it – even if such claims are empirically false.

If Global Workspace Theory is the correct universal theory of consciousness applying to all possible entities, an empirical argument must establish that fact. But it's hard to see how such an empirical argument could proceed. We face another version of the Problem of the Narrow Evidence Base. Even if we establish that in ordinary humans, or even in all vertebrates, a

thought, representation, or process is conscious if and only if it occupies a Global Workspace, what besides a conceptual argument would justify treating this as a universal truth that holds among all possible conscious systems?

Consider some alternative architectures. The cognitive processes and neural systems of octopuses, for example, are distributed across their bodies, often operating substantially independently rather than reliably converging into a shared workspace.¹⁰³ AI systems certainly can be, indeed often are, similarly decentralized. Imagine coupling such disunity with the capacity for self-report – an animal or AI system with processes that are reportable but poorly integrated with other processes. If we assume Global Workspace Theory, we can conclude that only sufficiently integrated processes are conscious. But if we don't assume Global Workspace Theory, it's difficult to imagine what near-future evidence could establish that fact beyond a reasonable standard of doubt to a researcher who is initially drawn to a different theory.

If the simplest version of Global Workspace Theory is correct, we can easily create a conscious machine. This is what Dehaene and collaborators envision in the 2017 paper I discussed in Chapter One. Simply create a machine – such as an autonomous vehicle – with several input modules, several output modules, a memory store, and a central hub for access and integration across the modules. Consciousness follows. If this seems doubtful to you, then you cannot straightforwardly accept the simplest version of Global Workspace Theory.¹⁰⁴

¹⁰³ Godfrey-Smith 2016; Carls-Diamante 2022.

¹⁰⁴ One might alternatively read Dehaene, Lau, and Kouider 2017 purely as a conceptual argument: *If* all we mean by “conscious” is “accessible in a Global Workspace”, *then* building a system of this sort suffices for building a conscious entity. The difficulty then arises in moving from that stipulative conceptual claim to the interesting, substantive claim about phenomenal consciousness in the standard sense described in Chapter Two. Similar remarks apply to the Higher Order aspect of that article. One challenge for this deflationary interpretation is that in related works (Dehaene 2014; Lau 2022) the authors treat their accounts as accounts of phenomenal consciousness. The article concludes by emphasizing that in humans “subjective

We can apply Global Workspace Theory to settle the question of AI consciousness only if we know the theory to be true either on conceptual grounds or because it is empirically well established as the correct universal theory of consciousness applicable to all types of entity. Despite the substantial appeal of Global Workspace Theory, we cannot know it to be true by either route.

4. Higher Order Theories and Luminosity.

Among the main competitors to Global Workspace theories are Higher Order theories. Where Global Workspace theories treat access as the central essential feature of consciousness, Higher Order theories traditionally privilege luminosity.¹⁰⁵ Luminosity – recall from Chapter Three – is the thesis that conscious experiences are inherently self-representational, or that having an experience entails being in some sense aware of it, or that having an experience entails knowing about that experience or at least being in a position to know about it. As noted in Chapter Four, Higher Order Theories can be motivated by a seeming-tautology: To be in a conscious state is to be conscious *of* that state, which requires representing it in a certain way.¹⁰⁶ This is not actually a tautology, but a substantive claim. *Maybe* experientiality requires representing one’s own mental states, but if so, that is a nonobvious fact about the world, not a straightforward conceptual truth.

experience coheres with possession” of the functional features they identify. A further complication: Lau later says that the way he expressed his view in this 2017 article was “unsatisfactory”: Lau 2022, p. 168.

¹⁰⁵ One important exception is Brown 2025, who advocates a non-traditional Higher Order Theory that is not committed to luminosity. As he argues, cases of “radical misrepresentation” of the target state create a challenge for traditional Higher Order views.

¹⁰⁶ E.g., Lycan 2001; Rosenthal 2005.

Like Global Workspace Theory, Higher Order theories have some initial appeal. In the typical adult human case, when we have conscious experiences we seemingly have some knowledge of or awareness of them – perhaps indirect, inchoate, and not explicitly conceptualized.¹⁰⁷ This needn't imply infallibility. When we attempt to categorize or describe that experience, we might err. Consider again some typical experiences: your visual experience of this text, a sting of pain, a tune in your head, that familiar burst of joy when you see a cute garden snail. Plausibly, as they occur, you know they are occurring – or if “knowledge” is too strong, at least you have some acquaintance with them, some attunement or potential attunement to the fact that they are going on.¹⁰⁸

Also like Global Workspace Theory, Higher Order theories can potentially explain other possibly essential features of consciousness. Maybe the relevant type of self-representation or self-awareness entails experiencing a self, or a subject. If so, *subjectivity* follows. Maybe self-representation or self-awareness is only possible if the thought, representation, or process is also available for other types of downstream cognition – or maybe the higher order representation serves as a gatekeeper for other downstream processes. If so, *access* follows. Maybe there's always a determinate fact about whether a thought, process, or representation is or is not targeted by a higher order process or representation, which could potentially explain *determinacy*. If the represented states are themselves always representations, and if all representations are necessarily about something, that could explain *intentionality*.

¹⁰⁷ See also views inspired by Brentano 1874/1973, such as Kriegel 2009; Spener 2024.

¹⁰⁸ On acquaintance theories, see Gertler 2010, ch. 4; Giustina 2022.

And just as Global Workspace Theories suggest an architecture for AI consciousness, so also do Higher Order Theories suggest an architecture, or at least a piece of an architecture: Any conscious system must monitor its own cognitive processing.

For this architectural interpretation, a challenge immediately arises: the Problem of Minimal Instantiation.¹⁰⁹ This problem arises for most functionalist theories of consciousness – compare Dehaene’s self-driving car – but it’s especially acute here. Any machine that can read the contents of its own registers and memory stores can arguably, in some sense, represent its own cognitive processing. If this counts as higher order representation and if higher order representation suffices for consciousness, then most of our computers are already conscious!

A Higher Order Theorist can resist this radical implication in at least three ways: (1.) by denying that this is the right kind of self-representational process (opening the question of what the right kind is); (2.) by denying that the lower-order processes are the right kind of targets (perhaps they are not genuine thoughts or representations); (3.) or by requiring some further necessary condition(s) for consciousness. Alternatively, the Higher Order Theorist can “bite the bullet”, accepting that consciousness is more widespread than generally assumed.

Different Higher Order theorist offer different flavors. On Lau’s Perceptual Monitoring Theory, representations become conscious when a discriminator mechanism judges a sensory representation not to be random “noise” and makes it available for downstream cognition. These representations needn’t be *globally* broadcast, as long as they have “an appropriate impact on a narrative system capable of causal reasoning”.¹¹⁰ On Lau’s view, constructing a conscious robot

¹⁰⁹ Compare Herzog et al. 2007; Butlin et al. forthcoming.

¹¹⁰ Lau 2022, p. 209; Lau’s 2022 book highlights empirical data he interprets as favoring this view over Global Workspace Theory, but as he acknowledges there and elsewhere, interpretation is marred by confounding factors.

would be fairly straightforward. It might, for example, have cameras that generate representations of its environment, an ability to assess how similar or dissimilar those representations are to each other, and the ability to assess the likelihood of error under various conditions.¹¹¹

Axel Cleeremans' Self-Organizing Metarepresentational Account demands much more. On this view, consciousness arises when a system representationally redescribes its inner workings to better predict the consequences of its actions in the world, especially in social contexts where it learns to represent itself as one agent among others. We "learn to be conscious" when we build models of the internal, unobservable states of agents in the world like ourselves.¹¹² The required social modeling appears to be well beyond the capacity of all but the most socially sophisticated animals, suggesting that consciousness will be sparsely distributed in the animal kingdom. However, nothing in the theory suggests that a sophisticated, embodied, socially embedded AI system would be incapable of achieving the right types of higher order representation.

Non-traditional Higher Order theories de-emphasize luminosity. On Richard Brown's Higher Order Representation of a Representation account, the lower-order target representation needn't even exist.¹¹³ On Michael Graziano's Attention Schema Theory, what we think of as consciousness is just a simplified model of our attentional processes.¹¹⁴ We can't explore the

¹¹¹ Lau 2022, p. 211-212. Regarding non-human animals, Lau's view is surprisingly restrictive, holding that many smaller mammals likely have no conscious experiences, p. 167.

¹¹² Cleeremans et al 2020; Fleming, Brown, and Cleeremans forthcoming.

¹¹³ Brown 2025.

¹¹⁴ Graziano 2013; Graziano et al. 2019.

details here, but the unifying feature is that consciousness depends on representing one's own mind in a particular way.

5. Consciousness Without Higher Order Representations; Higher Order Representations Without Consciousness?

Could some states be consciously experienced without being targeted by higher order representations? Rich, unattended sensory experiences – if they exist – again pose a challenge. Higher order representations that duplicate the finely detailed content of lower order representations would seemingly clutter the mind with needless redundancy. More plausibly, higher order representations might encode gist or ensemble summary content (“lots of red dots over there”), omitting the individual details from experience.¹¹⁵

The Sampling Bias problem (from Chapter Four) also arises: Introspecting and recalling experience might require higher order representations, and thus all the experiences *you know about and report* might involve them, but that doesn't entail that *all of your experiences full stop* involve higher order representations. At least in principle, you might have many unintrospected and unremembered experiences. Theories that liberally ascribe consciousness to nonhuman animals – such as Integrated Information Theory, Recurrence Theories, and Associative Learning Theories (see Chapter Nine) – support this possibility. All appear to allow that the right informational or cognitive complexity might generate unintrospected and unremembered experience. If an ant or snail might have conscious experiences that aren't targeted by higher order representations, so also sometimes might you.

¹¹⁵ Brown 2012, 2025; Mudrik et al. 2025.

Conversely, might some cognitive processes be targeted by higher order representations but not consciously experienced? Research in metacognition suggests that the mind keeps constant tabs on itself. The ordinary flow of speech requires that we track a huge amount of information about background assumptions we share with our interlocutors, the logical implications and pragmatic implicatures of our and others' utterances, and what contextual information we should provide to facilitate our partner's understanding. Tracking all of this arguably involves considerable self-representation – of your aims, of what your partner knows about your aims, and of what you and your partner know in common.¹¹⁶ Intentional learning (e.g., studying for a test) requires constantly assessing the shape of your knowledge and ignorance, where to most profitably focus attention, when to start and stop, and the likelihood of later recognition or recall. It's doubtful that all of these metacognitive judgments generate conscious experience of the lower order states they are responding to. Ordinary motor activities arguably require metarepresentationally tracking progress toward goals and the potential success or failure of subplans, adjusting movement on the fly at a pace and with a degree of detail that we ordinarily think of as outside of conscious awareness.¹¹⁷ A Higher Order Theorist can deny that these are the right types of higher order representation, or that they involve higher order representation at all, but that creates the challenge of explaining what's in and what's out. If many nonconscious processes meet the structural criteria for higher order representation, the theory must supply principled grounds for their exclusion.

6. Generalizing Beyond Vertebrates Again.

¹¹⁶ Wilson and Sperber 2012; Brown-Schmidt and Heller 2018.

¹¹⁷ Gallivan et al. 2018; Christensen et al. 2019.

Recent Higher Order Theorists rightly treat the theory not as a conceptual truth but as an empirical hypothesis with testable implications. Consequently, even if *in humans* higher order representations of the right sort are both necessary and sufficient for consciousness, the extension to animal, alien, and AI cases is conjectural rather than conceptually guaranteed.

To illustrate the types of consideration invoked: Lau argues that Higher Order Theory has an empirical advantage over Global Workspace Theory because nonconscious sensory stimuli sometimes influence a wide range of cognitive processes, suggesting that nonconscious representations can occupy the “workspace”, contra Global Workspace Theory.¹¹⁸ Lau also argues against “local” theories (such as Recurrence Theory, Chapter Nine) that invisible stimuli activate the visual cortex as much as visible stimuli do, once task performance capacity is properly controlled for.¹¹⁹ (One example of an “invisible” stimulus would be an image so effectively masked by flickering lights that participants report not having seen it.) Rejoinders are possible, and the science is uncertain and evolving. Lau himself emphasizes the difficulty of directly testing the hypotheses at issue.¹²⁰

The crucial experiments are conducted in humans or other vertebrates such as monkeys, which returns us to the Problem of the Narrow Evidence Base (Chapter Four and Section 3 of this chapter). If Higher Order Theory is an empirical hypothesis, generalizing from vertebrates to a universal claim that applies to AI systems requires a huge speculative extrapolation. Something more might be needed in addition to higher order representations, undermining the sufficiency of higher order representations for consciousness – a background (e.g., biological)

¹¹⁸ Lau 2022, 129-132.

¹¹⁹ Lau 2022, 132-135.

¹²⁰ Lau 2022, 2025.

condition met in humans but not in AI systems. Alternatively, undermining the necessity of higher order representations, even if our lovely primate way of generating consciousness always involves them, other (e.g., simpler) entities might generate consciousness differently.

7. Close Kin.

Global Workspace Theories and traditional Higher Order Theories are close kin. Thoughts, processes, or representations are conscious if they influence later cognition in a particular way, either through becoming broadly accessible across the cognitive system or being targeted by a further representational process. If broad access and higher order representation are closely linked, with one typically enabling the other, each approach can to a substantial extent explain the other's successes, making them challenging to empirically distinguish.

Both theories are most naturally interpreted as suggesting that people don't experience a rich welter of simultaneous experiences in many modalities – an advantage if the contents of experience are relatively sparse, a liability if experience is in fact rich. Both theories draw their empirical support from human and other vertebrate cases, leaving unclear how far we can extrapolate to very different types of systems, such as AI. And both are potentially vulnerable to the Problem of Minimal Instantiation: It seems easy to create simple AI systems that meet the minimal criteria of these theories but which most theorists would hesitate to regard as conscious.

Despite these similarities, their implications for AI consciousness are very different, since it seems eminently possible to create an AI system with a global workspace but no higher order representation or vice versa.

Chapter Nine: Integrated Information, Local Recurrence, Associative Learning, and Iterative Natural Kinds

This chapter examines three prominent theories composed in different keys: Integrated Information Theory, Local Recurrence Theory, and Unlimited Associative Learning. It concludes with reflections on the possibility of less theory-laden empirical approaches.

1. Integrated Information Theory.

Integrated Information Theory (IIT), developed by Giulio Tononi and collaborators, treats consciousness as a matter of (you guessed it) the integration of information, where “information” is understood as causal influence, mathematically formalized.¹²¹ Systems with high information integration typically feature complex, looping feedback structures, specialized subunits, and dense interconnectivity. The idea that the human brain’s complex information management explains its high degree of consciousness has both empirical and intuitive appeal. It would also delight a certain clade of nerds (I am one) to satisfactorily explain consciousness through a rigorous mathematical formalism grounded in objective facts about causal connectivity.

Empirical measures of “perturbational complexity” provide some support for Integrated Information Theory. These are typically measured by disturbing the brain with a transcranial magnetic stimulation and assessing the compressibility of subsequent EEG scalp recordings. More complexity (less compressibility) is generally found in highly conscious states – wakefulness and sleep phases associated with dreaming – than in coma and sleep phases associated with less dreaming.¹²² Neurophysiological architecture offers further support: The

¹²¹ Albantakis et al. 2023.

¹²² Casali et al. 2013; Casarotto et al. 2016.

cortex, or the cortex plus thalamus and other related areas, shows more connective complexity than the cerebellum. As IIT predicts, cortical disorders tend to affect conscious experience much more than cerebellar disorders.

Despite its appeal, Integrated Information Theory faces serious challenges. The proposed measure of information integration, Φ , is computationally intractable for most systems, making the theory difficult to rigorously test.¹²³ The theory has unintuitive consequences, such as attributing a small amount of consciousness to some tiny feedback networks and potentially superhuman degrees of consciousness to some large but simply structured networks, provided their components are linked in the right way.¹²⁴ Integrated Information Theory purports to be grounded in a system of axioms and postulates, but many of these axioms and postulates are either vague or implausible.¹²⁵ Where calculations of Φ are tractable, results often fluctuate dramatically with small changes in connectivity, in contrast with the robustness of the human brain.¹²⁶ And standard versions of IIT hold that subsystems cannot be conscious if they are embedded in larger more informationally complex systems, meaning that consciousness does not depend only on local processes. This leads to the counterintuitive result that arbitrarily large amounts of consciousness can appear or vanish with the loss or addition of a single bit of information in a system's surroundings, even if that information is not currently influencing the system's internal operations.¹²⁷

¹²³ Mediano et al. 2022; for one prominent attempt not requiring precise calculation of Φ , see Cogitate Consortium et al. 2025.

¹²⁴ Aaronson 2014.

¹²⁵ Bayne 2018.

¹²⁶ Mediano et al. 2018.

¹²⁷ Schwitzgebel 2014.

Advocates of Integrated Information Theory swim gleefully against this tide of troubles; the theory is not decisively refuted and remains influential. Since it requires neither a global workspace in the traditional sense nor higher order representations, it has very different implications for what AI systems would be conscious, and to what degree, than Global Workspace Theory and Higher Order Theory.

2. Local Recurrence Theory.

As noted in Chapter Eight, Global Workspace Theory and Higher Order theories invite the idea that sensory experience is sparse. Only what is selected to enter a relatively restricted workspace for broadcast across the mind, or only what is targeted by (presumably selective) higher order representations, becomes conscious.

Local Recurrence Theory, developed by Victor Lamme, denies that such further “downstream” processing is necessary.¹²⁸ In vision, signals from the retina travel quickly to the occipital cortex at the back of the brain, where specialized neurons react selectively to features like motion, color, and edges at various orientations. These neurons then send signals forward to frontal, temporal, and parietal regions. Global Workspace and Higher Order theories typically require such forward signaling for consciousness. Local Recurrence Theory, in contrast, holds that the right kind of local processing in “early” occipital regions can generate consciousness on its own. However, not just any activation of early sensory regions will do. There must be sufficient *recurrent* processing – signals must interact in causal loops, integrating perceptual information. The common impression that experience is rich with detail in many sensory modalities at once can then be preserved, as long as the right kind of recurrent processing occurs

¹²⁸ Lamme 2006, 2010.

in each modality. The downstream processes described by Global Workspace Theory and Higher Order theories might be necessary for a *reportable* and *memorable* perceptual experience, and for broad accessibility of perceptual information, but on Local Recurrence Theory such access is not necessary for consciousness.

In principle, the dispute between local/early theories, like Local Recurrence Theory, and global/late theories, like Global Workspace and Higher Order theories, is empirically tractable. For example, researchers can examine cases where early neural areas are highly active while later areas are not, and vice versa, to see which pattern correlates better with reports of consciousness. In practice, however, empirical adjudication has proven difficult. Confronted with high levels of neural activity in early areas but no reports of consciousness, local theorists can suggest that the activity is insufficiently recurrent or that the activity is conscious but – just as their theory would predict – unreportable because inadequately processed further downstream. Also, in ordinary, intact brains, local activity tends to have downstream consequences, and downstream activity tends to influence upstream areas. Untangling these effects is difficult given the limitations of current neuroimaging techniques. The empirical debates continue, with some results more easily accommodated on local theories and other results more easily accommodated on global or higher order theories. No decisive resolution is likely in the near-to-medium term.¹²⁹

But let's not lose sight of our particular target: the consciousness or not of AI systems. Suppose Local Recurrence Theory eventually prevails. In humans, and maybe in all vertebrates, recurrent loops of local sensory processing are both necessary and sufficient for consciousness. Would this generalize to AI systems? Recurrent loops of processing are common in AI – even in

¹²⁹ Phillips 2018; Block 2023; Lau 2025.

simple systems. The Problem of Minimal Instantiation thus arises again. Is my laptop conscious every time it executes a recurrent function? Presumably, consciousness requires *enough* recurrence, of the right *type*, and perhaps in a context of background conditions we take for granted in humans but which might not exist in artificial systems.

Extending Local Recurrence Theory to AI would require deeper reflection on what makes recurrence the right kind of process to generate consciousness. One natural answer appeals to *unity* as an essential feature of consciousness. A frequently suggested role for recurrence is in binding together visual features that are registered by different clusters of neurons (e.g., color and shape). The importance of recurrence in conscious primate vision might then derive from its importance in generating a unified perceptual experience.¹³⁰

Unlike Integrated Information Theory, Local Recurrence Theory is not typically framed as a universal theory of consciousness applicable to all possible entities, whether human, animal, alien, or AI. It's an empirical conjecture about human consciousness, drawing mainly on studies of human and monkey vision. Substantial theoretical development and speculation would be needed to adapt it to AI cases. Still, recognizing it as a live competitor to Global Workspace and Higher Order theories highlights the diversity of theories of human consciousness – how far we remain from a good understanding of the basis of consciousness even in our favorite animal.

3. Unlimited Associative Learning.

¹³⁰ Lamme 2010; Roelfsema 2023.

Another influential theory – the last we will consider – is Simona Ginsburg’s and Eva Jablonka’s Unlimited Associative Learning, which holds that consciousness arises when a particular kind of cognitive capacity is present.¹³¹

Ginsburg and Jablonka begin with a list of seven attributes of conscious experience, which they derive from an overview of the scientific and philosophical literature – attributes, they suggest, that are “individually necessary and jointly sufficient for consciousness”.

1. *Global activity and accessibility.* Conscious information is not confined to one region but globally available to cognitive processes.
2. *Binding and unification.* Features of experience, such as colors and shapes, sights and sounds, are integrated into a unified whole.
3. *Selection, plasticity, learning, attention.* Conscious experience involves “the perception of one item at a time”; and it involves neural and behavioral adaptability to changing circumstances.
4. *Intentionality.* Conscious states represent and are “about” things.
5. *Temporal thickness.* Consciousness persists over time, due to recurrent processes, reverberatory loops, and the activation of networks at several scales.
6. *Values, emotions, goals.* Experiences have subjective valence, feeling positive or negative.
7. *Embodiment, agency, and self.* Consciousness involves a stable distinction between one’s body and the environment, plus a feeling of ownership or agency.¹³²

¹³¹ Ginsburg and Jablonka 2019.

¹³² Ginsburg and Jablonka 2019, p. 98-101

Even the sleepy reader will notice a resemblance between these seven features and the ten possibly essential features of consciousness described in Chapter Three.

Ginsburg and Jablonka draw on a wide range of animal studies suggesting that the animals whose cognition manifests these seven features also exhibit “unlimited associative learning”. Unlimited associative learning is best understood by contrasting it with the limited associative learning of cognitively simpler animals like the *C. elegans* nematode worm and the *Aplysia californica* sea hare. *C. elegans* and *Aplysia californica* can learn to associate a limited range of stimuli with stereotypical responses. For example, sea hares learn to withdraw their gills when gently prodded if the prod is repeatedly paired with a shock. In contrast, animals capable of unlimited associative learning – many or all vertebrates and arthropods (insects and crustaceans) and the more cognitively sophisticated mollusks (such as the octopus) – can learn complex behavioral adjustments to a wide range of complex stimuli. Octopuses can learn to unscrew jars to get food; rats can learn complex mazes; bees can learn to pull on string to retrieve drops of sucrose solution from behind Plexiglas – and can even learn socially by watching each other.¹³³

Ginsburg and Jablonka acknowledge that consciousness might exist in animals with only limited associated learning, who exhibit some but not all of the seven features.¹³⁴ More relevant to our topic, they allow that unlimited associative learning in a robot might be insufficient for consciousness, if the robot lacks some other essential biological features (which they don’t further specify).¹³⁵ Still, if there’s a division in nature between animals with and without the

¹³³ Chittka 2022.

¹³⁴ Ginsburg and Jablonka 2019, p. 395.

¹³⁵ Ginsburg and Jablonka 2019, p. 227, 395.

capacity for unlimited associative learning, and if that division corresponds with the seven features Ginsburg and Jablonka attribute to consciousness, then, speculatively, the capacity for unlimited associative learning might mark the dividing line between animals that are and are not conscious, and – even more speculatively – AI consciousness might require the same capacities.

Whether the seven features listed by Ginsburg and Jablonka are indeed all necessary for consciousness is an open question. We've just seen one theory – Local Recurrence Theory – that denies the necessity of downstream accessibility. And perhaps we can imagine weird alien or AI systems who are conscious but who lack one or more of the other seven features. Alternatively, Ginsburg's and Jablonka's list might omit some essential feature. Higher Order theories hold that higher order representations of one's mentality are necessary for consciousness. Even if we accept the list of seven, substantial further research will be needed to establish the tight connection between unlimited associative learning and these features, and exactly what kinds of accessibility, binding, plasticity, etc., are required, and how to generalize from animals to AI.

4. General Observations about Theory-Driven Approaches.

If we had the right universal theory of consciousness, we could apply it to AI systems to determine whether they are conscious. Problem solved! What I hope our tour of candidate theories suggests is:

First, there is no consensus on a general theory of consciousness even for the human case, nor is such consensus likely anytime soon.

Second, apart from Integrated Information Theory, it's unclear how to apply these frameworks to AI. How much information sharing is enough? What type and degree of recurrence? What kinds of self-representation? Are biological conditions needed in addition to

associative learning? Most theories face the Problem of Minimal Instantiation: Tiny AI implementations seem possible, in systems few theorists would regard as conscious.

Third, to the extent these theories are empirical, they face the Problem of the Narrow Evidence Base. Suppose – very optimistically! – that over the next several decades scientists converge on a consensus theory of human consciousness, or vertebrate consciousness, or even consciousness in all Earthly animals. AI systems differ radically in structure. Applying theories developed for animals to such alien architectures might be like applying a theory of animal biology to a computer chip. It's a huge extrapolatory leap. If there were a sound, purely conceptual argument that all conscious systems have such-and-such features, we could look for those features in AI. But if the arguments are empirical, grounded in animal cases, it's difficult to see – at least in the near-to-medium term – how to bridge from our knowledge of animals to artificial systems.

Although this reasoning does not reduce entirely to the argument at the end of Chapter Three, it can be cast in those terms. The wide range of viable scientific theories leaves us justifiably unsure which among the ten possibly essential features of consciousness is truly essential. If we cannot at least address that basic question, we will remain in the dark about the consciousness of near-future AI.

5. Iterative Natural Kinds and Indicator Properties.

Despite these pessimistic reflections, the darkness is not pitch. I'll conclude with two more hopeful thoughts.

In his influential treatment of the history of thermometry, Hasok Chang confronts what seems to be a methodological paradox.¹³⁶ How do you calibrate the first thermometer? Calibrating a thermometer seems to require a more accurate thermometer – but none yet exists. Alternatively, you might appeal to a good theory of temperature – but that doesn’t yet exist either, not without an accurate thermometer against which the theory can be tested. The solution was to advance gradually by baby steps from rough, intuitive measures to more rigorous ones. For example, sensations of hot or cold can be correlated with the expansion and contraction of fluids. Fluid expansion and contraction can then be used to correct sensations, especially when there’s reason to think the sensations might be misleading (e.g., a lukewarm object feeling cold to a hand previously immersed in warm water) and when touch is impractical (e.g., with very hot objects). The problem of measurement isn’t immediately solved, since different fluids expand in different patterns, and fluids are held in measuring containers that also frustratingly expand, and solid objects and gases also have temperatures.... However, by correlating enough tests, and using them to correct each other especially when one test might be better than another for a particular circumstance, scientists eventually converged on highly accurate thermometers and a well-founded theory of temperature.

Inspired in part by this example, some researchers – for example, Tim Bayne and collaborators, and Andy McKilliam – suggest that consciousness science can advance similarly, despite lacking consensus measures and theories.¹³⁷ A first step might be noticing behavioral and neurophysiological correlates of consciousness in typical adult humans. One behavioral candidate is trace conditioning – the capacity to learn an association between two stimuli across

¹³⁶ Chang 2004.

¹³⁷ Bayne and Shea 2020; Bayne et al. 2024; McKilliam 2025.

a temporal gap. It has been argued that in humans this is possible only when the stimuli are consciously perceived.¹³⁸ One neural candidate is widespread neural activity about 300 milliseconds after the onset of a stimulus.¹³⁹ Such measures might be used to correct introspective reports, especially if there's reason to think the introspections might be inaccurate, and to measure consciousness when introspective report is impossible, for example, expanding the measure to other primates. Adjust and expand, adjust and expand, adjust and expand... and eventually, *maybe* a diversity of measures will converge toward the same results, each compensating for the others' weaknesses. We can then claim to have accurately measured consciousness, and we can build our theory accordingly. This is sometimes called the *iterative natural kind* strategy, since it assumes that consciousness is a “natural kind” like gold, water, or kinetic energy, around which scientific regularities congregate.

This strategy will fail if consciousness is a loose amalgam of several features or if it splinters into multiple distinct kinds. But even such failures could be informative. We might discover that phenomenal consciousness – what-it's-like-ness, experientiality – is not one thing but several related things or a mix of things, much as we learned that “air” is not one thing. In the long term, it's not unreasonable to hope for either convergence toward a single natural kind or an informative failure to converge. However, this is a much longer-term prospect than the development of AI systems that a significant portion of experts and ordinary people are tempted to regard as conscious. I don't claim that it's impossible to develop a scientifically well justified universal theory of consciousness that applies to all possible creatures, whether human, animal, alien, or AI. But it's a distant hope.

¹³⁸ Birch 2022; perhaps especially if it is susceptible to failure absent attention: Droege et al. 2021.

¹³⁹ Dehaene 2014.

Another somewhat hopeful thought: By conjoining the features of plausible theories, we can reach tentative judgments about the *relative* likelihood of the consciousness, or not, of different AI systems. Unless you have strictly zero credence in the possibility of AI consciousness, or zero credence that any of the leading theories point in approximately the right direction, you should allow that a system with all the features favored by those theories is likelier to be conscious than a system with none of the features. Suppose, for example, that an AI system develops in a biological substrate, with a neuromorphic structure and a single global workspace where information is integrated and broadcast downstream, in complex causal processes that cannot easily be informationally compressed, with plenty of recurrent processing, the capacity for sophisticated, flexible responses to challenging real-world environments, unlimited associative learning, self-representation, and accurate verbal self-reports. Add further features if you like. Such a system is likelier to be conscious than a system with none of those features. It might still be reasonable to doubt its consciousness, perhaps even to give it much less than a 50% chance of being conscious – but such a system would be better hunting grounds than a mimicry-based language model. Patrick Butlin, Robert Long, and their collaborators have called this the Indicator Properties strategy for evaluating the potential consciousness of AI systems.¹⁴⁰

¹⁴⁰ Butlin et al 2023.

Chapter Ten: Does Biological Substrate Matter?

Here's a possible argument against AI consciousness:

- (1.) Consciousness requires (the right type of) biology.
- (2.) No near-future AI system could have (the right type of) biology.

This *could* be so. So far, every entity that is generally recognized to be conscious is biological.

We have no good consensus theory of how consciousness arises. Maybe some biological detail is crucial to the magic.

If the argument is sound, it's convenient. We could dismiss the possibility of AI consciousness without worrying about the theoretical or empirical details.

Both premises are dubious.

1. Autopoiesis.

The idea of *autopoiesis* was introduced by Humberto Maturana and Francisco Varela in 1972.¹⁴¹ Autopoietic (self-creating) entities continuously regenerate their own components, maintain their structure and processes over time, and constitute themselves as distinct from their environment. Living organisms are autopoietic: They synthesize their constituent molecules, draw energy from outside to maintain homeostasis, and protect themselves with skins, shells, walls, and membranes. Recent theorists who treat autopoiesis as necessary for consciousness include philosopher Evan Thompson and neuroscientist Anil Seth.¹⁴²

¹⁴¹ Maturana and Varela 1972/1980.

¹⁴² Thompson 2007; Seth forthcoming.

Autopoiesis establishes a boundary between self and other – an aspect of *subjectivity*, one of the possibly essential features of consciousness discussed in Chapter Three. Autopoiesis also suggests norms and purpose. Things can go well or poorly for autopoietic systems. It's harder to justify attributing norms and purposes to a rock, and although a laptop computer has purposes, those purposes are imposed by its designers and users – they aren't, it seems plausible to say, the laptop's *own* purposes. A well-functioning autopoietic system is also a unity, harmoniously maintaining itself. Sufficiently sophisticated and self-protective autopoietic systems might also exhibit privacy, flexible integration, and access – perhaps also self-representation and a sense of the present versus past and future. Living, autopoietic systems can be just the sorts of things to manifest features that we normally associate with consciousness.

All of this is attractive. Concretizing the argument at the head of this chapter, one might hold that (1'.) autopoiesis is necessary for consciousness, and (2'.) no near-future AI could be autopoietic. However, (1') would require defense, and prominent autopoietic theories generally include no sustained discussion of why non-autopoietic systems couldn't also be conscious. Life is great; perhaps non-life can also be great, at least in the respects necessary for consciousness. The claim that *only* autopoietic systems can be conscious lacks a well-developed theoretical defense.

In any case, contra (2'), AI systems can plausibly be autopoietic. Think beyond desktop computers and language models stored in the cloud. For example: A solar-powered robot might seek energy sources. It might have error checking programs that detect and discard defective parts. It might build new parts from local materials or order components online and assemble them for self-repair. It might detect and reject fake parts and repel intrusive materials. It might even manufacture duplicates or near-duplicates of itself with the same capacities, creating an

evolutionary lineage. While such a system would lack the rich multi-level autopoiesis of living systems and wouldn't constantly manufacture its own parts at the chemical level, it appears to meet theoretical minimal criteria for autopoiesis.¹⁴³ In AI technologies more directly modeled on life – artificial life systems, or DNA-based computing, or systems constructed from frog cells or mouse neurons – the autopoietic features potentially become richer.

Autopoiesis might be necessary for consciousness, but that remains highly speculative. The best evidence is that all known conscious systems are autopoietic and that sophisticated, well-functioning autopoietic systems will plausibly have some of the ten possibly essential features. There's an aesthetic appeal, too, in linking together arguably the two most special features of Earth, life and mind; the view sparkles with *je ne sais quoi*.

2. The Hazards of Neural Replacement.

It might seem that an easy argument can establish that biological substrate does not matter. Take a human brain – presumably conscious. One by one, swap each neuron for a substitute made of silicon chips. If the substitute is good enough, it should play the same role in neural processing as the original neuron, with no evident downstream consequences. The person will continue to act and react as usual. After every neuron is replaced, the neural system is made entirely of silicon chips, but the patterns of behavior – including verbal self-reports about consciousness – will remain exactly as they were pre-substitution. Assuming the resulting entity is no less conscious than the original person, it is possible in principle to construct a conscious

¹⁴³ For example, the autopoietic system described in Cabaret 2024 could presumably be instantiated in a virtual reality or even on a tabletop with programmable robotic bugs as the “particles”.

system from nonbiological material.¹⁴⁴ (If you're concerned about the role of blood and glial cells, hold on a couple of paragraphs.)

Two problems undermine this argument. First, it's unclear that we *should* assume that the entity at the end really is conscious. Its outward behavior and internal artificial neural linkages are similar, but an advocate of the importance of biological substrate can say that's not guaranteed to be sufficient for consciousness. Maybe carbon-based neurons in particular are necessary, or low-level biological functions not instantiated in those chips, and the resulting entity is a nonconscious "zombie", all dark inside despite its seeming-protests. Although it doesn't notice or report its qualia fading away, we shouldn't trust its introspections. Situations of gradual neural replacement are exactly the type of situation in which introspection should be expected to fail.¹⁴⁵

Second, such precise neural replacement might not be possible even in principle. As Rosa Cao has emphasized, the activity of neurons depends on intricate biological details. Signal speed depends on axon and dendrite lengths, and conduction changes with circumstances. Neurons change their responses depending on recent history, and small timing differences can have big consequences. Cell membranes host tens of thousands of ion channels with different features, sensitive in different ways to different chemicals. There is also diffuse signaling by nitric oxide, which passes freely through the cell membrane and interacts with intracellular structures, not just surface receptors. Blood flow matters – not just in total amount but in the specific chemicals being transported. Glial cells, which provide support structures, also influence neuronal behavior. Many cell changes accumulate over time without resulting in

¹⁴⁴ Chalmers 1996, ch. 7.

¹⁴⁵ Schwitzgebel 2022; Block 2023, p. 454-458.

immediate spiking activity. And so on. The silicon chip would need to replicate not just activity at the neural membrane but many consequences of many changes in interior structure. To replicate all of this so precisely that the functional input-output profile matches that of a real neuron probably requires... another biological neuron.¹⁴⁶

These biological details might matter for consciousness. We cannot confidently conclude that they can all be reproduced in a different substrate.

3. Copernican Liberalism.

Still, the universe is vast. The observable portion – what our telescopes can currently detect – contains about a trillion galaxies and about 10^{21} to 10^{24} stars.¹⁴⁷ But that's only the *observable* portion. Nothing suggests that the universe stops at that boundary, which would place us at the exact center. The simplest assumption is that the universe is infinite.¹⁴⁸ Even if complex life is extremely rare and sparsely distributed, it would be strange if it *only* existed on Earth. Most astrobiologists think other complex species have evolved somewhere.¹⁴⁹

This gives the advocate of substrate flexibility a partial reply to Cao. Assume – plausibly, and in accord with the spirit of Copernican mediocrity – that Earth is not so uniquely special as to host the only conscious entities in the universe. And assume – also plausibly – that conscious entities elsewhere don't share our neurobiology down to the finest structural detail. Consciousness, then, cannot require those specific details.

¹⁴⁶ Cao 2022; Godfrey-Smith 2024.

¹⁴⁷ Traversa-Tejero 2021; Siegel 2023.

¹⁴⁸ Schwitzgebel 2024, ch. 7 (with Jacob Barandes).

¹⁴⁹ Sandberg et al. 2018.

It doesn't follow that configurations of silicon computer chips can be conscious. But it suggests that consciousness is possible in a varying range of substrates – whatever variability we might reasonably expect among actually existing conscious entities in our huge universe. Intuitions and educated guesses will differ, but if somewhere there are behaviorally sophisticated floating gas bags, or insect-like colonies with advanced group-level intelligence, or spaceship constructing societies whose members' biology depends on hydraulics or reflective light capillaries – and if these alien entities communicate, cooperate, and plan as richly as we do – it seems plausible to regard them also as conscious. *Maybe* evolution everywhere always converges upon biologies very much like ours. Or maybe, when it doesn't, the resulting entities necessarily lack consciousness. But either assumption renders us more special than we have any right to think.

If we grant that much – if such reasoning convinces us to be liberal in principle about the substrates of consciousness – why not extend this same liberalism to entities built of silicon chips or other near-future AI technologies, if they show enough other signs of consciousness?

The definition of “life” is contentious. But features such as autopoiesis, homeostasis, and reproduction are often seen as central. To argue against near-future AI consciousness on biological grounds requires either (a.) conjoining an argument that autopoiesis, homeostasis, and/or reproduction, etc., are necessary for consciousness with an argument that no near-future AI system could have those features, or (b.) arguing that consciousness depends on biological details that all conscious organisms in the universe share but that cannot be shared by any near-future AI system. Either path would be challenging to defend.

Chapter Eleven: The Problem of Strange Intelligence

Artificial Intelligence is *strange* intelligence.¹⁵⁰ Confronting the full range of strange AI cases, our theories and intuitions, derived from interacting with familiar human and nonhuman minds, will strain and break, leaving us in ignorance.

1. Varieties of Strangeness.

Brains differ fundamentally from standard digital computers. Computers perform lightning-fast sequential processing with limited parallelism. Brains operate more slowly but with massive parallelism. Computer hardware is static, while brains are ever changing. Standard computers are digital and binary, while most aspects of brain function are analog. Even “neuromorphic” computing is not very neuromorphic. Real biological neurons are far more dynamic: tiny individual synaptic receptors grow, degrade, and change their sensitivities over time; individual neurons reorganize their axons and dendrites, change size and excitability; larger-scale reorganizations and metabolic shifts occur – all implemented through an astoundingly diverse range of biological and neurochemical pathways.

Given these fundamentally different architectures, it’s no surprise that computers and humans excel at different things. Humans currently surpass computers in manipulating delicate objects, integrating verbal, nonverbal, and contextual cues in social interactions, and identifying elements in complex images.¹⁵¹ Computers surpass us in mathematical reasoning, information retrieval, and strategic games with clearly defined rules like chess and Go. What we see is not a

¹⁵⁰ I owe this concept to Kendra Chilson in conversation.

¹⁵¹ For an example of failure in identifying image elements, see Shamith et al. 2025.

linear progression from subhuman to human-level to superhuman. Machines blend the subhuman with the superhuman. Even within specific task types such as visual object recognition, AI outperforms us in some respects – especially speed – while underperforming in others.

The vertebrate body plan is simple. Build a spine and cap it with a brain, add limbs, enfold it in flesh. One brain per spine, one spine per animal. One locus – presumably – of consciousness. One unified experiencer. One stream of attention and consciousness, one embodied self. An unimaginatively designed robot might follow the same pattern. But advanced AI systems need not and often do not. You might think you're chatting with a single instance of a large language model, but the system is distributed among many servers, including subnetworks that specialize in different tasks, located in different cities, handling different parts of the conversation. There is no single well-defined unity with whom you are chatting. If it's connected to the internet, the same might hold of a robot. Its processing might be dispersed, shared, and piecemeal. Even offline systems might have subprocessors far more isolated than human brain regions, with no guarantee of a cohesive whole.

If consciousness exists in an AI system, it might manifest in brief local spurts with no sense of time or self. Or it might reside in a massive, distributed cloud that presents a million faces to a million users, with no integrated center and no single stream of experience or opinion. It might constantly split and merge, individual pieces joining briefly into a whole, then diverging, then forming different wholes with different individual pieces. It might have no capacity for self-monitoring, or it might monitor itself with a degree of detail far exceeding any vertebrate. It might have the opposite of privacy, learning about its internal processing only through second-hand reports from other systems that monitor it directly. It might not represent time, or it might

have time representations so precise that there's no sense of an extended present. Rather than having a unified workspace or conscious field, it might have overlapping bubbles of integration or accessibility, with information available to different downstream subsystems at different times, or different information available to different downstream systems at the same time. There might be no fact of the matter exactly how many subjects it divides into or how to individuate them; the whole-number mathematics that works so well for counting vertebrate animals might fail completely.¹⁵² Or, if one or more features it lacks is essential, it might completely fail to be conscious, despite having other features and high levels of sophisticated reasoning. The human mind arguably does its most complicated processing nonconsciously.¹⁵³

In human beings, the ten possibly essential features of consciousness tend to travel together: luminosity, subjectivity, unity, access, intentionality, flexible integration, determinacy, wonderfulness, specious presence, and privacy. Neither our ordinary commonsense intuitions nor our humanocentric theories and methods are currently prepared to handle such radically different entities.

2. An Outline of Our Ignorance.

You know that you are conscious, but how do you justify attributing consciousness to others? This is the “problem of other minds”.¹⁵⁴ The argument from analogy says that you can reasonably infer other people's consciousness from the fact that they look and act like you. Other humans share basically the same physiology and very similar patterns of behavior. It

¹⁵² Birch 2025; Register 2025; Schwitzgebel and Nelson 2025.

¹⁵³ Schneider 2017, 2019 explore the possibility of superintelligence without consciousness.

¹⁵⁴ Avramides 2001.

would be wild if you were conscious and they were not. The best explanation of their similar behavior, given their similar internal workings, is that they endure conscious experiences much like your own.¹⁵⁵

The argument from analogical explanation plausibly extends to our favorite mammals. Despite differences, dogs, cats, deer, and monkeys resemble us physiologically and share many of our behaviors. The argument extends perhaps to all vertebrates and maybe beyond, to bees and crabs.¹⁵⁶ Plants, fungi, and single celled organisms are probably a bridge too far if we're relying just on analogy.

AI systems are, and will continue to be, extremely different physiologically and at least somewhat different behaviorally – and to the extent they are behaviorally similar, the Mimicry Argument advises caution. So the argument from analogy breaks down. Even if an AI system's middle-grained functional architecture is similar to ours, doubt might be reasonable if there's a difference in low-level architectural detail. Such systems would closely resemble us in one plausibly relevant way while differing radically in another.¹⁵⁷

If we had a *well justified conceptual argument that X was sufficient* for consciousness, we could look for X in AI systems and attribute consciousness upon discovering it. If we had a *well justified conceptual argument that Y was necessary* for consciousness, we could look for Y in AI systems and attribute nonconsciousness upon failing to discover it. But we have no such well justified conceptual arguments.

¹⁵⁵ Pargetter 1984.

¹⁵⁶ As argued in Tye 2017. Tye 2024 extends the argument to AI systems but doesn't much explore what dimensions of similarity matter.

¹⁵⁷ Block 2002/2007, forthcoming; though see the Copernican considerations in Chapter Ten. An intermediate view might hold that some mid-level structural feature, e.g., networks of something similar to neurons, is shared by all conscious entities in the universe.

If we had *an empirically well supported universal theory of consciousness* that applied straightforwardly to AI systems, we could simply apply that theory. But we have no such theory.

If we had *excellent empirical grounds for thinking at least that X was sufficient* for consciousness – even without a general theory – we could reasonably attribute consciousness to systems with X.

The *negative case is secure – but only in a limited range of cases*. Bracketing radical views like panpsychism,¹⁵⁸ we are seemingly warranted in treating ordinary pocket calculators as nonconscious. But advanced AI systems, as they start to acquire features that suggest consciousness according to some theories, will no longer be so easily excluded.

Here's what we can do:

We can invoke the Mimicry Argument to justify skepticism about inferences based on superficial resemblance in systems designed or selected to mimic external features associated with consciousness.

We can invoke Copernican reasoning to reject the assumption that all conscious systems must share our physiology.

We can appeal to multiple theories simultaneously to justify judgments about the *relative* likelihood of consciousness, contingent on our degree of credence in those theories. In the face of uncertainty, it's a reasonable guess that systems with features that many theories treat as constitutive of or indicative of consciousness are likelier to be conscious than systems lacking those features.

¹⁵⁸ Especially the version of Roelofs 2019.

Chapter Twelve: The Leapfrog Hypothesis and the Social Semi-Solution

AI systems that provoke debates about consciousness will strike users not as simple, animal-like entities, but as *persons* – beings who, if conscious, deserve moral consideration and rights. Our social reactions to these systems will then shape our theories about them, not the other way around. We will come to believe we know the truth, even if we don't.

1. The Leapfrog Hypothesis.

One might expect the first genuinely conscious AI system or robot to have simple consciousness – insect-like, worm-like, or frog-like, or even less complex, though perhaps strange in form. It might have vague feelings of light versus dark, the to-be-sought or to-be-avoided, broad internal rumblings, and little else. It would not, you might think, have complex conscious thoughts about the ironies of *Hamlet* or a practical multi-part plan for building a tax-exempt religious organization. Creating simple consciousness seems technologically less demanding than creating complex consciousness.¹⁵⁹

The Leapfrog Hypothesis says no, the first conscious entities will have complex rather than simple consciousness. AI consciousness development will leap, so to speak, right over the frogs, going straight from nonconscious systems to systems richly endowed with complex conscious cognitive capacities.

For the Leapfrog Hypothesis to hold, two conditions must obtain: (1.) creating genuinely conscious AI must be more difficult than endowing nonconscious systems with rich and complex representations or intelligent behavioral capacities; and (2.) once consciousness is achieved,

¹⁵⁹ Farisco et al. 2024.

integrating it with these complex capacities must be straightforward. Both assumptions are plausible.

Most experts agree that existing large language models like ChatGPT lack consciousness – and yet they can, it seems, generate rich and complex representations and intelligent behavior. Describing the ironies in *Hamlet* and generating multi-part plans for building tax-exempt religious organizations play into their strengths. At least as measured by the quality of their text outputs, in such tasks they outperform most ordinary humans. Admittedly, complexity is challenging to quantify. (Integrated Information Theory, described in Chapter Nine, is one attempt.) Perhaps large language models and other deep learning systems are less complex than they appear. Still, their sensitivity to subtle variations in input and their elaborately structured outputs bespeak complexity far exceeding light versus dark or to-be-sought versus to-be-avoided.

Consider the second assumption – that integration will be straightforward – through the lens of Global Workspace Theory (Chapter Eight). To be conscious, let's suppose, an AI system needs perceptual input modules, behavioral output modules, side processors for specific cognitive tasks, memory systems, goal architectures, and a global workspace which receives selected, attended inputs from most or all of the various modules. These attentional targets become centrally available representations, broadly accessible. Additional features, such as recurrent processing in tight temporal synchrony, might also be necessary. Once such a good enough version of that architecture exists, consciousness follows.

Nothing suggests that it would be difficult to integrate such a system with a large language model and to provide it with complex inputs rich with sensory detail. The lights turn on... and as soon as they turn on, the system generates *conscious* descriptions of the ironies of

Hamlet, richly detailed *conscious* pictorial or visual representations, and multi-layered *conscious* plans. Consciousness arrives not in a dim glow but a fiery blaze. We have overleapt the frog.

The thought plausibly generalizes to a wide range of functionalist or computationalist frameworks, including Higher Order theories, Local Recurrence theories, and Associative Learning theories (Chapters Eight and Nine). Assuming that no AI systems are currently conscious, the real technological challenge lies in creating *any* conscious experience. Once that challenge is met, adding complexity – rich language, detailed sensory processing – is the easy part.

Am I underestimating frogs? Bodily tasks like five finger grasping and locomotion over uneven terrain have proven technologically daunting. Maybe the embodied intelligence of a frog is vastly more complex than the seemingly complex, intelligent outputs of a large language model.

Quite possibly so, but this might support rather than undermine the Leapfrog Hypothesis. If consciousness requires frog-like embodied intelligence – maybe even biological processes very different from what we can implement in standard silicon-chip architectures (Chapter Ten) – artificial consciousness might be distant. But then we have even longer to prepare the parts that seem rich and complex by human standards. Once the first conscious AI “frog” awakens, we won’t stop there. We’ll plug in ChatGPT-28 instead of ChatGPT-8, add futuristic radar and lidar arrays, advanced voice-to-text and facial recognition systems, and so on. Once that AI frog lights up with consciousness, it will speak articulately about complex matters.

2. The Social Semi-Solution.

If the thesis of this book is correct, we will soon create AI systems that count as conscious by the standards of some but not all mainstream theories. Given the unsettled theoretical landscape and the extraordinary difficulty of assessing consciousness in strange forms of intelligence, uncertainty will be justified. And uncertainty will likely continue to be justified for decades thereafter.

However, the social decisions will not wait. Both collectively and as individuals we will need to decide how to treat AI systems that are disputably conscious. If the Leapfrog Hypothesis is correct and the first conscious AI systems possess rich, complex, verbally sophisticated consciousness, these decisions will have an urgency lacking in, for example, current debates over insect consciousness.¹⁶⁰ Not only will the systems be disputably conscious, they will also appear to claim rights, engage in rich social interactions, and manifest intelligence that in many respects exceeds our own.

If they really are conscious, they will deserve respect and solicitude, including plausibly rights such as self-determination and citizenship. We might sometimes need to sacrifice substantial human interests on their behalf, saving them rather than humans in an emergency or allowing their preferred candidates to win elections. We might also have to reject “AI safety” steps – such as shutdown, “boxing”, deceptive testing, and personality manipulation – steps that are sometimes recommended to address the risks that superintelligent AI systems pose to humanity.¹⁶¹ In contrast, if they lack consciousness, prioritizing our interests over theirs becomes much easier to justify.¹⁶²

¹⁶⁰ See discussion in Schwitzgebel and Sinnott-Armstrong 2025.

¹⁶¹ Bostrom 2014; Long, Sebo, and Tims 2025.

¹⁶² I assume that consciousness is highly relevant to moral standing. For discussion, see Shepherd 2018; Levy 2024.

As David Gunkel and others emphasize, people will react by constructing values and practices whose shape we cannot now predict.¹⁶³ We might embrace some AI systems as equals, treat them as inferiors or slaves, or invent entirely new social categories. Financial incentives will pull in competing directions. Some companies will want to present their systems as nonconscious nonpersons, so that users and policymakers don't worry about their welfare. Other companies might prefer to present them as conscious, to foster emotional attachment or to limit liability for the "free choices" of their autonomous creations. Different cultures and subgroups will likely diverge sharply.

Over time, we will reinterpret our uncertain science and philosophy through the new social lenses we construct – perhaps with the help of these AI systems themselves. We will prefer certain interpretations. Lovers of AI companions might yearn to see their partners as genuinely conscious. Exploiters of AI tools might prefer to regard their systems as nonconscious artifacts. More complex motivations and relationships will also emerge, including ones we cannot currently conceptualize.

Tenuous science will bend to these motivations. We will favor the theories that support our social preferences. Even when scientific consensus speaks clearly against our preferences, systems can be redesigned to make the evidence conveniently ambiguous. If the leading theories say, for example, that recurrence and self-representation are necessary for consciousness, designers who seek consciousness attribution can add enough recurrence and self-representation to escape easy refutation. Designers seeking instead to deny consciousness can ensure their systems differ enough in material and function to count as nonconscious on some reasonable theories, which then become their favorite theories.

¹⁶³ Gunkel 2023; also Coeckelbergh 2012; Keane 2025; Strasser forthcoming.

The result: We will think we have solved the problem of AI consciousness, even if we have not.

We are leapfrogging in the dark. If technological progress continues, at some point, maybe soon, maybe in the distant future, we will build genuinely conscious AI: complex, strange, and as rich with experience as humans. We won't know whether and when this has happened. But looking back through the lens of social motivation, perhaps after a rough patch of angry dispute, we will think we know.

I'd like to end on a positive note, by suggesting that maybe this social semi-solution is good enough, despite belief being shaped more by desire than evidence. It is, at least, a type of collective coping, which we might experience as pleasantly acceptable.

But I can't authentically voice that positive note. If social rationalization guides us rather than solid science, we risk massive delusion. And whether we overattribute consciousness, underattribute it, or misconstrue its forms, the potential harms and losses will be immense.

Acknowledgements

For helpful discussion and critique, thanks to Jaan Aru, Ned Block, “James of Seattle”, Kendra Chilson, Elmo Feiten, Matthias Michel, Jeremy Pober, and [your name could be here], participants in my 2025 graduate seminar on AI and consciousness, and commenters on relevant posts on The Splintered Mind and related social media. For comments on the entire draft manuscript, extra thanks to Sophie Nelson, Izak Tait, and [your name could be here].

References

- Aaronson, Scott (2014). Guilio Tononi and me: A Phi-nal exchange. Blog post at *Shtetl-Optimized* (May 30). URL: <https://scottaaronson.blog/?p=1823>.
- Aglioti, Salvatore, Joseph F. X. DeSouza, and Melvyn A. Goodale (1995). Size-contrast illusions deceive the eye but not the hand, *Current Biology*, 5(6):679-685.
- Albantakis Larissa, Leonardo Barbosa, Graham Findlay, et al. (2023). Integrated information theory (IIT) 4.0: Formulating the properties of phenomenal existence in physical terms. *PLoS Computational Biology*, 19(10):e1011465.
- Anderson, Neal G., and Gualtiero Piccinini (2024). *The physical signature of computation*. Oxford.
- Avramides, Anita (2001). *Other minds*. Routledge.
- Baars, Bernard J. (1988). *A cognitive theory of consciousness*. Cambridge.
- Barbieri, Alberto (2025). The phenomenal unity of consciousness: Prospects for a phenomenal character-based account. *Philosophia*. <https://doi.org/10.1007/s11406-025-00894-x>.
- Bargh, John, and Ezequiel Morsella (2008). The unconscious mind. *Perspectives on Psychological Science*, 3(1):73-79.
- Bayne, Tim (2010). *The unity of consciousness*. Oxford.
- Bayne, Tim (2018). On the axiomatic foundations of the integrated information theory of consciousness. *Neuroscience of Consciousness*, 2018(1):niy007.
- Bayne, Tim, Anil K. Seth, Marcello Massimini, et al. (2024). Tests for consciousness in humans and beyond. *Trends in Cognitive Sciences*, 28(5):454-466.
- Bayne, Tim, and Michelle Montague, eds., (2011). *Cognitive phenomenology*. Oxford.

- Bayne, Tim, and Nicholas Shea (2020). Consciousness, concepts and natural kinds.
Philosophical Topics, 48(1):65-83.
- Beenfeldt, Christian (2013). *The philosophical background and scientific legacy of E. B. Titchener's psychology*. Springer.
- Bender, Emily (2025). *The AI con*. Harper.
- Bender, Emily, and Alexander Koller (2020). Climbing towards NLU: On meaning, form, and understanding in the age of data. *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, 5185-5198.
- Bender, Emily M., Timnit Gebru, Angelina McMillan-Major, and Shmargaret Shmitchell (2021). On the dangers of stochastic parrots: Can language models be too big? 🦜. *Proceedings of the 2021 ACM conference on fairness, accountability, and transparency*, 610-623.
- Bickle, John (1998/2020). Multiple realizability. *Stanford Encyclopedia of Philosophy*, summer 2020 edition.
- Birch, Jonathan (2022). The search for invertebrate consciousness. *Noûs*, 56(1):133-153.
- Birch, Jonathan (2024). *The edge of sentience*. Oxford.
- Birch, Jonathan (2025). AI consciousness: A centrist manifesto. Manuscript at <https://philpapers.org/rec/BIRACA-4>.
- Block, Ned (1981). Psychologism and behaviorism. *Philosophical Review*, 90(1):5-43.
- Block, Ned (2002/2007). The harder problem of consciousness. In N. Block, *Consciousness, function, and representation*. MIT.
- Block, Ned (2007). Consciousness, accessibility, and the mesh between psychology and neuroscience. *Behavioral and Brain Sciences*, 30:481-548.
- Block, Ned (2023). *The border between seeing and thinking*. Oxford.

- Block, Ned (forthcoming). Can only meat machines be conscious? *Trends in Cognitive Sciences*.
- Bostrom, Nick (2014). *Superintelligence*. Oxford.
- Boyle, Matthew (2024). *Transparency and reflection*. Oxford.
- Brentano, Franz (1874/1973). *Psychology from an empirical standpoint*, ed. O. Kraus, L. L. McAlister, trans. A. C. Rancurello, D. B. Terrell, and L. L. McAlister. Routledge.
- Broad, C. D. (1951). *The mind and its place in nature*. Lund Humphries.
- Brown, Richard (2012). The myth of phenomenological overflow. *Consciousness and Cognition*, 21:599-604.
- Brown, Richard (2025). *Consciousness as representing one's mind*. Oxford.
- Brown-Schmidt, Sarah, and Daphna Heller (2018). Perspective-taking during conversation. In S. Rueschemeyer and M. G. Gaskell, eds., *Oxford handbook of psycholinguistics*. Oxford.
- Butlin, Patrick, Robert Long, Tim Bayne, et al. (forthcoming). Identifying indicators of consciousness in AI systems. *Trends in Cognitive Sciences*.
- Butlin, Patrick, Robert Long, Eric Elmoznino, et al. (2023). Consciousness in Artificial Intelligence: Insights from the science of consciousness. *ArXiv*:2308.08708.
- Cabaret, Thomas (2024). Emergence of autopoietic vesicles able to grow, repair, and reproduce in a minimalist particle system. *ArXiv*:2311.10761.
- Cao, Rosa (2022). Multiple realizability and the spirit of functionalism. *Synthese*, 200(6):1-31.
- Cappelen, Herman, and Josh Dever (2025). Going whole hog: A philosophical defense of AI cognition. *ArXiv*:2504.13988.

- Casali, Adenauer G., Olivia Gosseries, Mario Rosanova, et al. (2013). A theoretically based index of consciousness independent of sensory processing and behavior. *Science Translational Medicine*, 5(198):198ra105.
- Casarotto, Silvia, Angela Comanducci, Mario Rosanova, et al. (2016). Stratification of unresponsive patients by an independently validated index of brain complexity. *Annals of Neurology*, 80(5):718-729.
- Carls-Diamante, Sidney (2022). Where is it like to be an octopus? *Frontiers in Systems Neuroscience*, 16, DOI:10.3389/fnsys.2022.840022.
- Chalmers, David J. (1996). *The conscious mind*. Oxford.
- Chalmers, David J. (2018). The meta-problem of consciousness. *Journal of Consciousness Studies*, 25(9-10):6-61.
- Chalmers, David J. (2023). Could a Large Language Model be conscious? *Boston Review* (Aug 9). URL: <https://www.bostonreview.net/articles/could-a-large-language-model-be-conscious>.
- Chang, Hasok (2004). *Inventing temperature*. Oxford.
- Chittka, Lars (2022). *The mind of a bee*. Princeton.
- Christensen, Wayne, John Sutton, and Kath Bicknell (2019). Memory systems and the control of skilled action. *Philosophical Psychology*, 32(5):692-718.
- Cleeremans, Axel, Dalila Achoui, Arnaud Beauny, Lars Keuninckx, Jean-Remy Martin, Santiago Muñoz-Moldes, Laurène Vuillaume, and Adélaïde de Heering (2020). Learning to be conscious. *Trends in Cognitive Sciences*, 24(2):112-123.
- Coeckelbergh, Mark (2012). *Growing moral relations*. Springer.

- Cogitate Consortium, Oscar Ferrante, Urszula Gorska-Klimowska, et al. (2025). Adversarial testing of Global Neuronal Workspace and Integrated Information Theories of consciousness. *Nature*, 642:133-142 (2025).
- Cole, David (2004/2024). The Chinese Room Argument. *Stanford Encyclopedia of Philosophy*, winter 2024 edition.
- Dainton, Barry (2017). Coming together: The unity of consciousness. In S. Schneider and M. Velmans, eds., *The Blackwell companion to consciousness*. Blackwell.
- Dehaene, Stanislas (2014). *Consciousness and the brain*. Penguin.
- Dehaene, Stanislas, Hakwan Lau, and Sid Kouider (2017). What is consciousness, and could machines have it? *Science*, 358(6362):486-492.
- Dennett, Daniel C. (1987). *The intentional stance*. MIT.
- Dennett, Daniel C. (1991). *Consciousness explained*. Little, Brown.
- Dennett, Daniel C. (2005). *Sweet dreams*. MIT.
- Dreksler, Noemi, Lucius Caviola, David Chalmers, Carter Allen, Alex Rand, Joshua Lewis, Philip Waggoner, Kate Mays, and Jeff Sebo (2025). Subjective experience in AI systems: What do AI researchers and the public believe? *ArXiv*:2506.11945.
- Dretske, Fred I. (1970). Epistemic operators. *Journal of Philosophy*, 67:1007-1023.
- Droege, Paula, Daniel J. Weiss, Natalie Schwob, and Victoria Braithwaite (2021). Trace conditioning as a test for animal consciousness: A new approach. *Animal Cognition*, 24(6):1299-1304.
- Edelman, Gerald M. (1989). *The remembered present*. Basic Books.
- Farisco, Michele, Kathinka Evers, and Jean-Pierre Changeux (2024). Is artificial consciousness achievable? Lessons from the human brain. *Neural Networks*, 180:106714

- Fiedler, Alexandra, and Jörg Döpke (2025). Do humans identify AI-generated text better than machines? Evidence based on excerpts from German theses. *International Review of Economics Education*, 49:100321.
- Fine, Kit (2002). The varieties of necessity. In T. S. Gendler and J. Hawthorne, eds., *Conceivability and possibility*. Oxford.
- Fleming, Stephen M., Richard Brown, and Axel Cleeremans (forthcoming). Computational higher order theories of consciousness. In L. Melloni and U. Olcese, eds., *The scientific study of consciousness*. Springer.
- Fodor, Jerry A. (1983). *The modularity of mind*. MIT.
- Gallivan Jason P., Craig S. Chapman, Daniel M. Wolpert, and J. Randall Flanagan (2018). Decision-making in sensorimotor control. *Nature Reviews Neuroscience*, 19(9):519-534.
- Gennaro, Rocco J. (2012). *The consciousness paradox*. MIT.
- Gertler, Brie (2000). The mechanics of self-knowledge. *Philosophical Topics*, 28(2): 125-146.
- Gertler, Brie (2010). *Self-knowledge*. Routledge.
- Ginsburg, Simona, and Eva Jablonka (2019). *The evolution of the sensitive soul*. MIT.
- Giustina, Anna (2022). Introspective knowledge by acquaintance. *Synthese*, 200(2):1-23.
- Godfrey-Smith, Peter (2016). *Other minds*. Farrar, Straus and Giroux.
- Godfrey-Smith, Peter (2024). Simulation scenarios and philosophy. *Philosophy & Phenomenological Research*, 109(3):1036-1041.
- Goff, Philip (2013). Orthodox property dualism + the linguistic theory of vagueness = panpsychism. In R. Brown, ed., *Consciousness inside and out*. Springer.
- Goldman, Alvin I. (1976). Discrimination and perceptual knowledge. *Journal of Philosophy*, 73: 771-791.

- Graziano, Michael S. A. (2013). *Consciousness and the social brain*. Oxford.
- Graziano, Michael S. A., Arvid Guterstam, Branden J. Bio, and Andrew I. Wilterson (2019). Toward a standard model of consciousness: Reconciling the attention schema, global workspace, higher-order thought, and illusionist theories. *Cognitive Neuropsychology*, 37(3-4):155-172.
- Gumuskaya, Gizem, Pranjal Srivastava, Ben G. Cooper, Hannah Lesser, Ben Semegran, Simon Garnier, and Michael Levin (2024). Motile living biobots self-construct from adult human somatic progenitor seed cells. *Advanced Science*, 11:2303575.
- Gunkel, David J. (2023). *Person, thing, robot*. MIT.
- Harnad, Stevan (1990). The symbol grounding problem. *Physica D: Nonlinear Phenomena*, 42(1-3): 335-346.
- Harnad, Stevan (2003). Can a machine be conscious? How? *Journal of Consciousness Studies*, 10(4-5):67-75.
- Haugeland, John (1985). *Artificial Intelligence*. MIT.
- Heren, Kit (2025). “Godfather of AI” warns “alien superintelligence” could replace humans – and no one knows how to make it safe. *LBC* (Jan 30). URL: https://www.lbc.co.uk/article/geoffrey-hinton-ai-replace-humans-5Hjcynn_2.
- Herzog, Michael H., Michael Esfeld, and Wulfram Gerstner (2007). Consciousness & the small network argument. *Neural Networks*, 20(9):1054-1056.
- Horgan, Terry, and Matjaž Potrč (2010). The epistemic relevance of morphological content. *Acta Analytica*, 25:155-173.

- Huang, Chaoran, Bhavin Shastri, and Paul Pruncal (2024). Photonic computing: An introduction. In H. Bhaskaran and W. H. P. Pernice, eds., *Phase Change Materials-Based Photonic Computing*. Elsevier.
- Hume, David (1740/1978). *A treatise of human nature*, ed. L. Selby-Bigge and P. H. Nidditch. Oxford.
- Hurlburt, Russell T., and Eric Schwitzgebel (2007). *Describing inner experience? Proponent meets skeptic*. MIT
- James, William (1890/1981). *The principles of psychology*. Harvard.
- Jones, Cameron R., and Benjamin K. Bergen (2025). Large Language Models pass the Turing test. *ArXiv:2503.23674*
- Kalinin, Kirill P., Jannes Gladrow, Jiaqi Chu, et al. (2025). Analog optical computer for AI inference and combinatorial optimization. *Nature*, 645:354-361.
- Kant, Immanuel (1781/1787/1998). *Critique of Pure Reason*. Ed. and trans. P. Guyer and A. W. Wood. Cambridge.
- Keane, Webb (2025). *Animals, robots, gods*. Princeton.
- Kment, Boris (2012/2021). Varieties of modality. *Stanford Encyclopedia of Philosophy* (spring 2021 edition).
- Kriegel, Uriah (2009). *Subjective consciousness*. Oxford.
- Kudithipudi, Dhireesha, Catherine Schuman, Craig M. Vineyard, et al. (2025). Neuromorphic computing at scale. *Nature*, 637:801-812.
- Lamme, Victor A. G. (2006). Towards a true neural stance on consciousness. *Trends in Cognitive Sciences*, 10(11):494-501.

- Lamme, Victor A. G. (2010). How neuroscience will change our view on consciousness. *Cognitive Neuroscience*, 1(3):204-220.
- Lau, Hakwan (2022). *In consciousness we trust*. Oxford.
- Lau, Hakwan (2025). The end of consciousness. *PsyArXiv Preprints*, https://osf.io/preprints/psyarxiv/gnyra_v1.
- Lemaire, Stephané D., David Turek, Dave Landsman, Marte Colotte, and Tom F. A. de Greef (2025). Challenges and opportunities in DNA computing and data storage. *Nature Nanotechnology*, 20:710-714.
- Lenat, Douglas (1995). CYC: A large-scale. *Communications of the ACM*, 38:33-38.
- Levin, Janet (2004/2023). Functionalism. *Stanford Encyclopedia of Philosophy*, summer 2023 edition.
- Levy, Neil (2024). Consciousness ain't all that. *Neuroethics*, 17(21).
- Long, Robert, Jeff Sebo, and Toni Sims (2025). Is there a tension between AI safety and AI welfare? *Philosophical Studies*, 182:2005-2033.
- Lycan, William G. (2001). A simple argument for a higher-order representation theory of consciousness. *Analysis*, 61(1):3-4.
- MacLennan, Bruce J. (2007). A review of analog computer. Manuscript at <https://web.eecs.utk.edu/~bmacleenn/papers/RAC-TR.pdf>.
- Maley, Corey J. (2022). How (and why) to think that the brain is literally a computer. *Frontiers in Computer Science*, 4:970396.
- Mashour, George A., Pieter Roelfsema P, Jean-Pierre Changeux, and Stanislas Dehaene (2020). Conscious processing and the Global Neuronal Workspace hypothesis, *Neuron*, 105(5):776-798.

- Maturana, Humberto R., and Francisco J. Varela (1972/1980). *Autopoiesis and cognition*. D. Reidel.
- McCarthy, John (2007). What is Artificial Intelligence? Online manuscript at <http://jmc.stanford.edu/articles/whatisai/whatisai.pdf>.
- McGinn, Colin (2010). *The mysterious flame*. Basic Books.
- McKilliam, Andy (2025). Natural kind reasoning in consciousness science: An alternative to theory testing. *Noûs* 59(3):634-651.
- McTaggart, J. M. Ellis (1908). The unreality of time. *Mind*, 17(4):457-474.
- Mediano, Pedro A.M., Anil K. Seth, and Adam B. Barrett (2018). Measuring Integrated Information: Comparison of candidate measures in theory and simulation. *ArXiv*:1806.09373.
- Mediano, Pedro A.M., Fernando E. Rosas, Daniel Bor, Anil K. Seth, and Adam B. Barrett (2022). The strength of weak integrated information theory. *Trends in Cognitive Sciences*, 26(8): 646-655.
- Metzinger, Thomas (2003). *Being no one*. MIT.
- Michel, Matthias, Jorge Morales, Ned Block, and Hakwan Lau (2025). *Trends in Cognitive Sciences*, 9(1):8-9.
- Mitchell, Melanie (2021). Why AI is harder than we think. *ArXiv*:2104.12871.
- Mölder, Bruno (2010). *Mind ascribed*. John Benjamins.
- Montero, Barbara (1999). The body problem. *Noûs*, 33:183–200.
- Mozur, Paul (2017). Google’s AlphaGo defeats Chinese Go master in win for A.I., *New York Times* (May 23).

- Mudrik, Liad, Melanie Boly, Stanislas Dehaene, Stephen M. Fleming, Victor Lamme, Anil Seth, and Lucia Melloni (2025). Unpacking the complexities of consciousness: Theories and reflections. *Neuroscience and Biobehavioral Reviews*, 170: 106053.
- Nagel Thomas (1974). What is it like to be a bat? *Philosophical Review*, 83(4): 435-450.
- Oliva, Aude, and Antonio Torralba (2006). Building the gist of a scene: The role of global image features in recognition. *Progress in brain research*, 155:23-36.
- Pargetter, Robert (1984). The scientific inference to other minds. *Australasian Journal of Philosophy*, 62(2):158-163.
- Penrose, Roger (1999). *The emperor's new mind*. Oxford.
- Peterka, Robert J. (2018). Sensory integration for human balance control. *Handbook of Clinical Neurology*, 159:27-42.
- Phillips, Ian (2018). The methodological puzzle of phenomenal consciousness. *Philosophical Transactions of the Royal Society B*, 373:20170347.
- Piccinini, Gualtiero, and Sonya Bahar (2013). Neural computation and the computational theory of cognition. *Cognitive Science*, 37(3):453-88.
- Piccinini, Gualtiero (2015). *Physical computation*. Oxford.
- Preskill, John (2018). Quantum computing in the NISQ era and beyond. *ArXiv*:1801.00862.1
- Prinz, Jesse J. (2012). *The conscious brain*. Oxford.
- Prudic, Kathleen L., Barbara N. Timmermann, Barbara N., Daniel R. Papaj, Daniel R., David B. Ritland, and Jeffrey C. Oliver (2019). Mimicry in viceroy butterflies is dependent on abundance of the model queen butterfly. *Communications Biology*, 2(68).
- Putnam, Hilary (1967). Psychological predicates. In W. H. Capitan and D. D. Merrill, eds., *Art, mind, and religion*. Pittsburg / Tinling.

Register, Christopher (2025). Individuating artificial moral patients. *Philosophical Studies*.

URL: <https://doi.org/10.1007/s11098-025-02409-6>

Rescorla, Michael (2015/2025). The computational theory of mind. *Stanford Encyclopedia of Philosophy*, fall 2025 edition.

Roelfsema, Pieter R. (2023). Solving the binding problem: Assemblies form when neurons enhance their firing rate – they don't need to oscillate or synchronize. *Neuron*, 111(7):1003-1019.

Roelofs, Luke (2019). *Combining minds*. Oxford.

Robinson, Howard (2003/2023). Dualism. *Stanford Encyclopedia of Philosophy*, spring 2023 edition.

Rolls, Edmund T. (2019). Neural computations underlying phenomenal consciousness: A Higher Order Syntactic Thought theory. *Frontiers in Psychology*, 11, <https://doi.org/10.3389/fpsyg.2020.00655>.

Rosenblatt, F. (1958). The Perceptron: A probabilistic model for information storage and organization in the brain. *Psychological Review*, 65(6):386-408.

Rosenthal, David M. (2005). *Consciousness and mind*. Oxford.

Rovelli, Carlo (2018). *The order of time*. Riverhead

Rumelhart, David E., Geoffrey E. Hinton, and Ronald J. Williams (1986). Learning representations by back-propagating errors. *Nature*, 323:533-536.

Russell, Stuart, and Peter Norvig (2003/2021). *Artificial Intelligence*, 4th ed. Pearson.

Sandberg, Anders, Eric Drexler, and Toby Ord (2018). Dissolving the Fermi Paradox. *ArXiv*:1806.02404.

Schlicht, Tobias (2025). Predictive processing's flirt with transcendental idealism. *Noûs*.

<https://doi.org/10.1111/nous.12552>.

Schneider, Susan (2017). AI consciousness: A reply to Schwitzgebel. Blog post at *The*

Splintered Mind (Jan. 16). URL: <https://schwitzsplinters.blogspot.com/2017/01/ai-consciousness-reply-to-schwitzgebel.html>.

Schneider, Susan (2019). *Artificial you*. Princeton.

Schuman, Catherine D. , Thomas E. Potok, Robert M. Patton, J. Douglas Birdwell, Mark E.

Dean, Garrett S. Rose, James S. Plank (2017). A survey of neuromorphic computing and neural networks in hardware. *ArXiv*:1705.06963

Schwitzgebel, Eric (2007). Do you have constant tactile experience of your feet in your shoes?

Or is experience limited to what's in attention? *Journal of Consciousness Studies*.

14(3):5-35.

Schwitzgebel, Eric (2011). *Perplexities of consciousness*. MIT.

Schwitzgebel, Eric (2014). Tononi's Exclusion Postulate would make consciousness (nearly)

irrelevant. Blog post at *The Splintered Mind* (Jul. 16). URL:

<https://schwitzsplinters.blogspot.com/2014/07/tononis-exclusion-postulate-would-make.html>.

Schwitzgebel, Eric (2016). Phenomenal consciousness, defined and defended as innocently as I can manage. *Journal of Consciousness Studies*, 23(11-12):224-235.

Schwitzgebel, Eric (2017). Kant meets cyberpunk, *Disputatio*, 55:411-435.

Schwitzgebel, Eric (2022). An objection to Chalmers's fading qualia argument. Blog post at *The*

Splintered Mind (Dec. 13). URL: <https://schwitzsplinters.blogspot.com/2022/12/an-objection-to-chalmerss-fading-qualia.html>.

- Schwitzgebel, Eric (2023). Borderline consciousness, when it's neither determinately true nor determinately false that experience is present. *Philosophical Studies*, 180(12):3415-3439.
- Schwitzgebel, Eric (2024). *The weirdness of the world*. Princeton.
- Schwitzgebel, Eric (forthcoming). Superficialism about belief, and how we will decide that robots "Believe". *Studia Semiotyczne*.
- Schwitzgebel, Eric, Anna Strasser, and David Schwitzgebel (2024). Creating a Large Language Model of a philosopher. *Mind & Language*, 39:237-259.
- Schwitzgebel, Eric, and Jeremy Pober (2025). The Copernican Argument for alien consciousness; the Mimicry Argument against robot consciousness. Manuscript. URL: <https://faculty.ucr.edu/~eschwitz/SchwitzAbs/AlienRobot.htm>.
- Schwitzgebel, Eric, and Sophie R. Nelson (2025). When counting conscious subjects, the result needn't always be a determinate whole number. *Philosophical Psychology*. <https://doi.org/10.1080/09515089.2025.2520364>.
- Schwitzgebel, Eric, and Walter Sinnott-Armstrong (2025). Sacrificing humans for insects and AI: A critical review of Jonathan Birch, *The Edge of Sentience*, Jeff Sebo, *The Moral Circle*, and Webb Keane, *Animals, Robots, Gods*. Manuscript at: <https://faculty.ucr.edu/~eschwitz/SchwitzAbs/BirchSeboKeane.htm>.
- Searle, John R. (1980). Minds, brains, and programs. *Behavioral and Brain Sciences*, 3:415-457.
- Searle, John R. (1983). *Intentionality*. Cambridge.
- Searle, John R. (1984). *Minds, brains, and science*. Harvard.
- Searle, John R. (1992). *The rediscovery of the mind*. MIT.

Seth, Anil K. (forthcoming). Conscious artificial intelligence and biological naturalism.

Behavioral and Brain Sciences.

Shamith, Simran, Neshal K. Kothari, Serena K. Kothari, and Carolyn Giordano (2025).

Exploring the boundaries of AI: ChatGPT's accuracy in anatomical image generation & bone identification of the foot. *Journal of Orthopaedic Experience & Innovation*, 6(1).

Shanbhag, Julian, Alexander Wolf, Iris Wechsler, et al. (2023). Methods for integrating postural control into biomechanical human simulations: a systematic review. *Journal of NeuroEngineering Rehabilitation*, 20(111).

Shepherd, Joshua (2018). *Consciousness and moral status*. Routledge.

Siegel, Ethan (2023). Have we overestimated the number of stars in the Universe? *Big Think* (Sep. 5). URL: <https://bigthink.com/starts-with-a-bang/overestimated-stars-in-universe>.

Siewert, Charles (2007). Who's afraid of phenomenological disputes? *Southern Journal of Philosophy*, 45(S1):1-21.

Silver, David, Aja Huang, Chris J. Maddison et al. (2016). Mastering the game of Go with deep neural networks and tree search. *Nature* 529:484-489.

Simon, Jonathan A. (2017). Vagueness and zombies: Why “phenomenally conscious” has no borderline cases. *Philosophical Studies*, 174:2105-2123.

Smart, J. J. C. (2007/2022). The mind/brain identity theory. *Stanford Encyclopedia of Philosophy*, winter 2022 edition).

Smeets, Jeroen B.J., Erik Kleijn, E., Marlijn van der Meijden and Eli Brenner (2020). Why some size illusions affect grip aperture. *Experimental Brain Research*, 238: 969-979.

Spener, Maja (2024). *Introspection*. Oxford.

Stoljar, Daniel (2010). *Physicalism*. Routledge.

- Strasser, Anna (forthcoming). *Inbetweenism*. De Gruyter.
- Strawson, Galen (2008). *Real materialism*. Oxford.
- Thomas, Nigel J. T. (1999). Are theories of imagery theories of imagination? An active perception approach to mental content. *Cognitive Science*, 23(2): 207-245.
- Thompson, Evan (2007). *Mind in life*. Harvard.
- Titchener, E. B. (1901-1905). *Experimental psychology*. Macmillan.
- Toon, Adam (2023). *Mind as metaphor*. Oxford.
- Tononi, Giulio, and Christof Koch (2015). Consciousness: Here, there, and everywhere? *Philosophical Transactions of the Royal Society B*, 370:20140167.
- Traversa-Tejero, Ignacio Pablo (2021). Estimation of the population of stars in the universe. *Open Access Library Journal*, 8:1-11.
- Turing, Alan M. (1936). On computable numbers, with an application to the *Entscheidungsproblem*. *Proceedings of the London Mathematical Society* 42(2):230-265.
- Turing, Alan M. (1950). Computing machinery and intelligence. *Mind*, 59(236):433-460.
- Tye, Michael (1995). *Ten problems of consciousness*. MIT.
- Tye, Michael (2000). *Consciousness, color, and content*. MIT.
- Tye, Michael (2017). *Tense bees and shell-shocked crabs*. Oxford.
- Tye, Michael (2024). How can we tell if a machine is conscious? *Inquiry*, <https://doi.org/10.1080/0020174X.2024.2434856>.
- Udell, David Billy, and Eric Schwitzgebel (2021). Susan Schneider's proposed tests for AI consciousness: Promising but flawed. *Journal of Consciousness Studies*, 28(5-6):121-144.

- Vauclin, Pierre, Jon Wheat, Jeffrey B. Wagman, and Ludovic Seifert (2023). A systematic review of perception of affordances for the person-plus-object system. *Psychonomic Bulletin and Review*, 30:2011-2029.
- Webster-Wood, Victoria A., Maria Guix, Nicole W. Xu, et al. (2023). Biohybrid robots: Recent progress, challenges, and perspectives. *Bioinspiration & Biomimetics*, 18:015001.
- Weizenbaum, Joseph (1966). ELIZA – a computer program for the study of natural language communication between man and machine. *Communications of the ACM*, 9(1), 36-45.
- Whitney, David, and Allison Yamanashi Leib (2018). Ensemble perception. *Annual Review of Psychology*, 69:105-129.
- Wilson, Dierdre, and Dan Sperber (2012). *Meaning and relevance*. Cambridge.
- Winograd, Terry (1972). Understanding natural language. *Cognitive Psychology*, 3:1-191.
- Zahavi, Dan, and Uriah Kriegel (2016). For-me-ness: What it is and what it is not. In D. O. Dahlstrom, A. Elpidorou, and W. Hopp, eds., *Philosophy of mind and phenomenology*. Routledge.
- Žutić, Igor, Jaroslav Fabian, and S. Das Sarma (2004). Spintronics: Fundamentals and applications. *Reviews of Modern Physics*, 76:323-410.